



MISSOURI EVERGREEN CONSORTIUM

LOCAL ADMINISTRATION TRAINING MANUAL

RELEASED: October 2025

Evergreen versions: 3.11.11

Most processes reviewed in this manual require the user to hold LocalAdmin permissions to implement. Exceptions include some workstation configuration elements, accessing reports, and notices.

Contents

Introduction	6
Accessing the Client	7
Workstation Management	7
Overview	8
Creating a New Workstation	9
First-Time Registration	9
Additional Workstations	12
Setting a Default Workstation	13
Removing a Workstation	15
Simple Workstation Configurations	17
Preventing Links in New Tabs	18
Sounds	19
Library Selector	20
Search	21
Staff Portal Page	24
Creating a Portal Page Entry	24
Editing a Portal Page Entry	27
Deleting a Portal Page Entry	27
Testing Workstations	28
Using Hatch for Printer Management	30
Installation	30
Configuring Hatch	32
Printer Contexts	33
Print Templates	35
Editing Print Templates	37
Restoring Print Templates	37
Sharing Print Templates	38
Available Customized Print Templates	38
Additional Receipt Template Customization Tips	38
Grid Management	39
Work Log	41

Address Alerts	42
Staff View of Address Alerts.....	42
Adding a New Address Alert	43
Editing an Address Alert.....	44
Deleting an Address Alert	44
SIP Accounts – Third Party Authentications.....	45
Library Management.....	46
Closed Dates Editor	46
Adding closures	46
Emergency closures	49
Editing a closed date	50
Deleting a closed date	50
Shelving Location Groups	51
Creating a Shelving Location	51
Shelving Location Order	54
Shelving Locations Editor	55
Creating a shelving location	55
Editing a shelving location.....	57
Deleting a shelving location	57
Barcode Completion	59
Administrative Rules	60
Access Points	60
Check Out	61
Staff Client Place Hold from Catalog	62
Check In	62
Item Status	63
Multiple Matches	63
Barcode Completion Data Fields Cheat Sheet	64
Length and Padding	64
Applies to Items/Users	65
Create, Update, Filter, Delete/Disable Rules	66
Barcode Completion Examples	67

Testing Barcodes	69
Standing Penalties	70
Stock Standing Penalty Types	70
Creating a Standing Penalty Type	72
Editing a Standing Penalty Type.....	73
Deleting a Standing Penalty Type	73
Custom Penalties.....	74
Setting Up a Custom Penalty	74
Permission Tree Display Entries	77
Adding an Entry	77
Deleting an Entry	78
Modify the List	79
Group Penalties Thresholds	80
Creating a Group Penalty Threshold	81
Editing a Group Penalty Threshold.....	82
Deleting a Group Penalty Threshold	82
Library Settings Editor.....	83
Editing Library Settings	84
Exporting/Importing Library Settings	85
Non-Cataloged Types Editor Directions	87
Editing an existing non-cataloged type.....	88
Using non-cataloged types during checkout	88
Deleting a non-cataloged type	88
Statistical Categories Editor	89
Items	89
Patrons	92
Hold Policies	95
Circulation Limit Sets	96
Creating a Circulation Limit Set	96
Editing a Circulation Limit Set	97
Deleting a Circulation Limit Set.....	98
Linking a Circulation Limit Set.....	98

Financials	99
Cash Reports.....	99
Patrons with Negative Balances	100
Inventory.....	101
Holdings Template Editor	102
Item Tags.....	103
Item Tag Types	103
Item Tags	104
Modify an Item Tag	106
Delete an Item Tag	106
Adding an Item Alert	107
Add an Item Alert from Check In, Check Out, Capture Holds, or Renewal Screens	109
Removing an Item Alert	113
Adding and Managing Item Alerts in Batch	114
Hopeless Holds	117
Online Public Access Catalog.....	118
Summary	118
Adding Carousels to Library OPAC homepage.....	119
Carousel Permission	119
Types of Carousels: automatic and manual.....	119
Create Manual Carousel	120
Edit Carousels.....	122
Make Carousel(s) Visible on OPAC homepage.....	124
Delete Carousel(s) from OPAC homepage.....	125
Getting Help	126
Helpdesk tickets	126
Resources.....	126

Introduction

In 2024 the Missouri Evergreen Consortium's Onboarding Committee reconvened and discussed, among other things, what member libraries need for onboarding and after onboarding. The Committee changed its name to the Consortium Assistance Network [CAN] to better represent the help we want to provide. We discussed determining mentor libraries for our newest members, helping to train those mentor libraries, and What? What else could the Onboarding Committee provide to Missouri Evergreen member libraries?

We decided our first task meant documenting setting various functions available in Evergreen. Local Administration is a key element to Evergreen's proper function. From simpler settings like our Closed Dates Editor (simple but SO necessary) to more complex tasks like the Holdings Template Editor, we needed to document how to best set the various functions available in Local Administration. To that end, we adapted large parts of Indiana's Local Administration Training Manual that would apply to Missouri Evergreen Libraries, resulting in this document.

That knowledge also relies on use of our powerhouse information hub at moevergreenlibraries.org/member-resources, where others have established best practices for cataloging and circulation, reports resources are archived to save our sanity, and resource sharing materials are available. This online compendium offers our members all the knowledge they need to make the best use of Evergreen locally in accordance with agreed-upon practices. We ask that you refer to these resources.

We thank all preceding contributors before us for their hard work and determination. We know that this manual will need to be updated with each new release of Evergreen. Trust that we will make updating this documentation a priority with each upgrade.

Finally, let us know if you have any concerns or suggestions for that update – we will listen, utilize, and everyone will benefit from that!

The Consortium Assistance Network

Lee Ann Santee, Barry-Lawrence Regional Library, Chair
Bethany Barton, St. Joseph Public Library
Stacy Hisle, Ray County Public Library
Cassie Hall, Douglass County Public Library
Ronya McCool, Richmond Heights Memorial Library
Terri Moser, Neosho Newton County Library
Mary Kay Emmrich, MEC Migration Specialist and CAN Liaison

November 2025; *updated June 2026*

Accessing the Client

The client may be accessed using Google Chrome and Firefox. Other browsers may not support all features of the client.

The address of the client is: [https://\[libraryshortname\].missourievergreen.org/eg/staff](https://[libraryshortname].missourievergreen.org/eg/staff)

Workstation Management

NOTE: Local administration permissions are required to register workstations.


Overview

Workstations are virtual desks for staff within a library branch's presence in the database. Workstations do not grant or retain staff permissions. Each workstation must be registered or created to be used for Evergreen. Workstation information is stored in the browser cache. Clearing the cache may result in workstation registration data being purged, so the workstation will need to be re-registered and reconfigured.

Creating a New Workstation

Location: *Administration* → *Workstation* → *Registered Workstations*

Workstations should be created with unique and useful names for reports and


A screenshot of a web browser window displaying the Evergreen Staff Client login page. The browser's address bar shows the URL "https://adair-test.missourievergreen.org/eg2/en-US/staff/login". The page has a dark green header with navigation links: Search, Circulation, Cataloging, Acquisitions, Booking, and Administration. The main content area is titled "Sign In" and contains three input fields: "Username" with the placeholder text "Username", "Password" with the placeholder text "Password" and a toggle icon, and "Workstation" with the placeholder text "ME-Mary Kay's Laptop". A red arrow points to the "Workstation" field. Below the fields is a "Sign In" button. The Windows taskbar is visible at the bottom of the screen.

transaction research. Additional workstations may be added as needed. Some cataloging activities may require distinct workstations for working across branches. This means that there may be multiple workstation registrations on one physical computer.


First-Time Registration

A simple visual cue to determine if a workstation has been registered is the presence or lack of a workstation dropdown on the login page. If there is no dropdown, there is no workstation available.


The system will trigger the workstation registration process the first time the web client is accessed.



Choose a branch location to be associated with this workstation.



Give the workstation a unique and useful name and click on **Register**.



Evergreen Staff Client | "MEC Consortium Assistance Net" | Manage Workstations

https://adair-test.missourievergreen.org/eg2/en-US/staff/admin/workstation/workstations/manage

Search | Circulation | Cataloging | Acquisitions | Booking | Administration | mkemmrch @

Workstation Administration

Please register a workstation.

Register a New Workstation For This Browser

Library: ME Workstation Name: Mary Kay's Laptop Register

Workstations Registered With This Browser

Use Now Mark As Default Remove

The workstation will be registered and may be used by clicking on **Use Now**. The login page will load, and you must log in with your credentials.

Additional Workstations

To add additional workstations, revisit the list of registered workstations in the **Administration** → **Workstation** menu.

The screenshot displays the 'Workstations' management interface. At the top, there's a navigation bar with tabs for Search, Circulation, Cataloging, Acquisitions, Booking, and Administration. The 'Administration' tab is active, showing the 'Workstations' page. Below the navigation bar, there's a section titled 'Workstations' with a sub-header 'Register a New Workstation For This Browser'. This section contains two input fields: 'Library' (with 'LVG-LDYL' selected) and 'Workstation Name' (with a placeholder 'Workstation Name'). A 'Register' button is located to the right of these fields. Below the registration form, there's a section titled 'Workstations Registered With This Browser'. This section contains a dropdown menu with four options: 'ME-Mary Kay's Laptop (Default)', 'ME-Mary Kay's Laptop (Default)', 'LVG-CL-Mary Kay's Laptop', and 'LVG-LDYL-Mary Kay's Laptop'. The last two options are circled in red. The bottom of the screenshot shows the Windows taskbar with various application icons and the system clock indicating 1:50 PM on 2/10/2025.

Complete the registration form again, choosing a different location within the library system or a different name. This is beneficial for staff working for library systems that have multiple locations, as it permits administrators and cataloguers to make local changes.


Should you have multiple workstations registered on one device you may choose to set a default workstation.

NOTE: Keep in mind that your credentials work only for your Library. You may only register additional workstations for locations within your Library system.


Setting a Default Workstation

Location: *Administration* → *Workstation* → *Registered Workstations*


The system will set the first workstation registered in the browser as the default automatically. As you register additional workstations you may wish to switch which workstation is loaded by default.



To declare a default workstation, choose the desired workstation in the **Workstations Registered with this Browser** drop-down and click on the **Mark as Default** button.




The newly selected default workstation will now be preselected on the login page.




Removing a Workstation

Location: *Administration* → *Workstation* → *Registered Workstations*

If a workstation was created in error or is no longer required, it can be removed. Choose the desired workstation in the **Workstations Registered with this Browser** drop-down and click on the **Remove** button.




The workstation will be deregistered and removed from the browser.



Simple Workstation Configurations


Location: *Administration* → *Workstation*



The workstation administration interface offers several options to enhance your user experience.


Preventing Links in New Tabs

Evergreen 3.15 now offers users the option of preventing links opening in new tabs. This is a simple toggle setting; if the box is checked, Evergreen will open links in the same window. Otherwise, the Evergreen software will open links in new windows as the software settings require.




Sounds

The audio cues may be turned on/off by checking or unchecking the box next to **“Disable Sounds?”**. You may not configure sounds so that only selected sounds play, e.g. only have the Error warning sound turned on and not the Success sound. You may click on the colored buttons to test the sounds.



Library Selector

The Library Selector drop down menus in Missouri Evergreen only show the shortnames of member libraries by default. If the “**Library Selector Shows Combined Names?**” button is checked, the menu dropdowns within the angularized areas of the web client will show both the shortname *and* the full name of the member library.




NOTE: You must log out and back into the workstation for the changes to take effect when enabling or disabling this feature.


Search

NOTE: It is recommended to set your catalog preferences directly in the Catalog. To do so, see Search Preferences in the Catalog manual.


Setting a **default search library** for the workstation will override any account settings. If no entry is set for the workstation, the system will use the account settings instead. Catalogers should always have their default set to the consortium level in order to discover all existing records. Front line staff who generally search for local holdings first may choose to have the local branch or system set as the default search library.



The **preferred search library** setting will boost the preferred library's holdings to the top of the holdings list on that particular bibliographic record. It is recommended to have this set to your local system or branch.




Selecting an alternate **advanced search default pane** is useful for catalogers who may be starting their search using ISBNs. Beginning with the Numeric Search option may be a more useful starting point for those searches. This option is unlikely to be used by front line staff.



Staff Portal Page


Location: *Administration* → *Local Administration* → *Staff Portal Page*

This interface allows staff with the appropriate permissions to customize the staff portal page (AKA homepage or landing page). This can be modified per org unit by the Local Administrator.



Creating a Portal Page Entry

To create a new entry, select **New Portal Page Entry**.



Record Editor: Portal Page Entry

Entry Label (Unset)

Entry Type

Entry Target URL (Unset)

URL Opens in New Tab ☐ Yes ☐ No (Unset)

Entry Text (Unset) Entry Text...

Entry Image URL (Unset)

Page Column

Column Position

Owner SJPL-DT

ID

Cancel Save

- **Entry Label** (required entry): The text that is shown on the staff portal page.
- **Entry Type** (required entry):
 - Catalog Search Box: This will create a basic Evergreen search box.
 - Header: This will create a column header.
 - Link: This will create a link to an external URL.
 - Menu Item: This will create a link to an internal Staff Client page.
 - Text and/or HTML: This will create a short piece of either plain text or marked up text.
- **Entry Target URL** (required entry if Entry Types are *Link* or *Menu Item*):
 - For *Link*: external URLs must include the full path
 - For *Menu Item*: use relative URLs (these will start with /eg/staff or /eg2/staff)
- **URL Opens in New Tab** (required entry):
 - Yes: The link will open a new tab.
 - No: The link will open in the current tab.
- **Entry Text** (required entry if Entry Type is *Text and/or HTML*):
 - Basic HTML is acceptable.
- **Entry Image URL** (required entry if Entry Types are *Link*, *Menu Item* or *Text and/HTML*):

This is a text field to specify an image URL to use for the icon that displays next to each portal page entry.

- Images must be approximately 48 x 48 pixels.
- External image links must use an https URL.
- Stock images on the Evergreen server can use a relative link (i.e. /images/portal/retrievepatron.png)
- Stock images available in /images/portal include:
 - background.png
 - back.png
 - batchimport.png
 - book.png
 - bucket.png
 - eg_tiny_logo.jpg
 - forward.png
 - helpdesk.png
 - holds.png
 - logo.png
 - map.PNG
 - newtab2.PNG
 - receipt_editor.png
 - registerpatron.png
 - reports.png
 - retrievepatron.png
 - z3950.png
- **Page Column** (required entry): Indicates the column position from left to right horizontally.
 - 1: left column
 - 2: middle column
 - 3: right column
- **Column Position** (required entry): Indicates the row position from top to bottom vertically.
 - 0: the header
 - 1: top row
 - 2: middle row
 - 3: bottom row
- **Owner** (required): This defaults to the workstation organizational unit.
- **ID** (automatically generated): The internal system ID of the specific Portal page element.

Once the fields are filled in, click **Save** to create the new portal page.

Editing a Portal Page Entry

To edit the portal page entry, double click on the entry from the list, or right-click or select **Actions** and choose **Edit Selected**.


Deleting a Portal Page Entry

If you wish to remove an existing portal page entry, either right-click on the entry, or select **Actions** and choose **Delete Selected**.

Testing Workstations

There are times when Evergreen response times are slow. The “Tests” option from the workstation administration screen allows users to run a latency test to determine the response time between your workstation client and the Evergreen databases. This information is beneficial when trying to determine the cause for slow response times. Communication errors may exist between your workstation and Evergreen, as this test would show. Other issues may be your local carrier or in-house issues with wi-fi or routing.

First, select “Tests” on the workstation administration screen:



Read the next screen, and then select “start test.”

The screenshot shows a web browser window with the URL <https://adair-test.missourievergreen.org/eg/staff/admin/workstation/tests>. The page has a navigation bar with links: Search, Circulation, Cataloging, Acquisitions, Booking, and Administration. The user is logged in as 'mkemmrch @ ME-Mary Kay's Laptop'. The main heading is 'Webclient Latency Test'. Below it is a 'Server Details' box showing the 'Hostname' as 'adair-test.missourievergreen.org'. The section 'Latency Test' explains that the test measures the websocket latency between the workstation client and the Evergreen server host. A red arrow points to the 'Start Test' button. Below the buttons, it says 'Latency results for adair-test.missourievergreen.org. Average Latency: 0 ms'. There is also a 'Copy to Clipboard' button.

The test will run, and a button will appear for you to copy the results of the testing when it is completed. It is recommended that you copy the results so that they are easily accessible when communicating with other agencies.

The screenshot shows the same web browser window after the test has completed. The 'Start Test' button is now disabled, and the 'Copy to Clipboard' button is active. The 'Latency results for adair-test.missourievergreen.org. Average Latency: 109.3 ms' are displayed. A list of 10 test results is shown, each with a timestamp and latency value. A red arrow points to the 'Copy to Clipboard' button.

Time	Latency
"2025-02-10T23:20:30.194Z"	93 ms
"2025-02-10T23:20:30.288Z"	102 ms
"2025-02-10T23:20:30.390Z"	123 ms
"2025-02-10T23:20:30.514Z"	119 ms
"2025-02-10T23:20:30.633Z"	117 ms
"2025-02-10T23:20:30.750Z"	104 ms
"2025-02-10T23:20:30.854Z"	101 ms
"2025-02-10T23:20:30.955Z"	118 ms
"2025-02-10T23:20:31.073Z"	100 ms
"2025-02-10T23:20:31.173Z"	116 ms

Using Hatch for Printer Management

Hatch is a browser add-on currently available for Google Chrome and Mozilla Firefox. It will allow for silent printing (send receipts and reports to the printer without staff clicking through the printer dialog) to specific printers. It is not a required add-on nor required for computers connected to a single printer; staff can simply use the native printing dialog to send print jobs.

Hatch stores configurations on your workstation, not in the database, so configurations must be performed on each workstation.

Installation

To install Hatch, you must be logged in as an operating system administrator on the computer where you want to install it. You may need to involve your IT support if you do not have admin access to your computers. (This is separate from administration rights in Evergreen!)

Hatch requires installing both a Windows application and a separate browser extension in order to function. The Windows application **must be installed prior to the extension being enabled**.


Hatch Application

The latest version of the Hatch installer for the application is available at <https://evergreen-ils.org/egdownloads/>

	3.15 Series	3.14 Series	3.13 Series	3.12 Series
Status	stable	stable	security only	security only
Latest Release	3.15.3	3.14.8	3.13.11	3.12.10
Release Date	2025-07-15	2025-07-15	2025-05-21	2024-12-20
Release Notes	Release Notes	Release Notes	Release Notes	Release Notes
Tabular Release Notes	Tabular release notes summary			
ChangeLog/ShortLog	Git ShortLog	Git ShortLog	Git ShortLog	Git ShortLog
Evergreen Installation	Install Instructions	Install Instructions	Install Instructions	Install Instructions
Upgrading	Notes on upgrading from 3.14.x		Notes on upgrading from 3.12.x	Notes on upgrading from 3.11.x
OpenSRF Software	3.3.2 (md5)	3.3.2 (md5)	3.3.2 (md5)	3.2.6 (md5)
Server Software	Source (md5)	Source (md5)	Source (md5)	Source (md5)
Web Staff Client Extension ("Hatch")	Windows Hatch Installer 0.3.3 (md5) – Installation Instructions (Windows & Linux)			
Git Repository	Git Location	Git Location	Git Location	Git Location




Download the executable and run it. Click through each of the installation confirmation steps.



Hatch Browser Extension

The Hatch browser extension can be installed directly from your browser's extension store:


- For Google Chrome: <https://chrome.google.com/webstore/category/extensions>
- For Firefox Extensions: <https://addons.mozilla.org/en-US/firefox/extensions/>



Configuring Hatch

Location: *Administration* → *Workstation* → *Hatch (Print Service) Printer Settings*

Click in the box next to **Use Hatch for Printing** in order to enable silent printing.



The screenshot shows the 'Printer Settings' page in a web application. The top navigation bar is green with white text for 'Search', 'Circulation', 'Cataloging', 'Acquisitions', 'Booking', and 'Administration'. The user is logged in as 'sjplbarton @ SJPL-DT-DT-OUT-01'. The main content area has a light blue header 'Printer Settings'. Below this, there's a section for 'Hatch Status' showing '✓ Connected' and a checkbox for 'Use Hatch for Printing?' which is checked. There are tabs for 'Default', 'Receipt', 'Label', 'Mail', and 'Offline', with 'Default' selected. A 'Test Printing' button is on the right. Below the tabs, there's a 'Select Printer' dropdown menu showing 'Brother HL-L3290CDW series', a 'Reset Form' button, and an 'Apply Changes' button. At the bottom, there's a 'Print Color' section with a dropdown menu and the text 'Default: COLOR'.

The Hatch printer settings must be configured in order to use multiple printers and print setups.

Printer Contexts

For each tab, which represents printing contexts (Default, Receipt, Label, Mail, and Offline), you may provide a separate printing configuration. Begin with choosing a printer. It is common to set your default to a printer that can handle standard letter paper. Set the receipt context to use a receipt printer. Label should be set for a roll-label printer if you have one. Mail generally prints to letter-sized paper. Offline is used almost exclusively for receipts, so connecting it to the receipt printer is recommended. For more information about print contexts, please check the following section on Print Templates.

Printer Settings

Hatch Status: ✓ Connected Use Hatch for Printing? ☒

Default Receipt Label Mail Offline Test Printing

Select Printer ▼ EPSON TM-T88V Receipt Reset Form Apply Changes

- Brother HL-L3290CDW series
- EPSON TM-T88V Receipt
- Label Printer
- Microsoft Print to PDF
- OneNote (Desktop)
- Hatch File Writer
- Browser Printing

Collation Default: UNCOLLATED

Print Quality Default: NORMAL

Print Sides Default: ONE_SIDED

Number of Items Default: 1

Fill the rest of the fields as useful based on your available hardware.


The screenshot displays the 'Printer Settings' page for an EPSON TM-T88V Receipt printer. At the top, a navigation bar includes links for Search, Circulation, Cataloging, Acquisitions, Booking, and Administration, along with a user profile 'sjplbarton @ SJPL-DT-DT-OU'. The 'Printer Settings' title is centered in a blue header. Below this, the 'Hatch Status' is shown as 'Connected' with a green checkmark, and 'Use Hatch for Printing?' is checked. A row of tabs includes 'Default' (selected), 'Receipt', 'Label', 'Mail', 'Offline', and a 'Test Printing' link. A 'Select Printer' dropdown shows 'EPSON TM-T88V Receipt', with 'Reset Form' and 'Apply Changes' buttons to its right. The main settings area contains several rows of configuration options, each with a text input field and a default value: 'Print Color' (Default: MONOCHROME), 'Paper Source' (Default: Automatic), 'Paper' (Default: Roll Paper 80 x 297 mm), 'Page Orientation' (Default: PORTRAIT), 'Collation' (Default: UNCOLLATED), 'Print Quality' (Default: NORMAL), 'Print Sides' (Default: ONE_SIDED), 'Number of Items' (Default: 1), 'Automatic Margins' (selected with a radio button, set to 'EQUAL', Default: DEFAULT), and 'Manual Margins' (unselected, with sub-inputs for Left, Top, Right, and Bottom). At the bottom, 'Page Ranges' are configured with 'All Pages' selected and 'Page Range' as an option, with 'Start' and 'End' input fields.

Click on **Apply Changes** to finalize and save any configuration updates you make. The **Test Printing** link at the top of the configuration menu may be used to run a test print.


This screenshot is an annotated version of the 'Printer Settings' page, focusing on the bottom right area. Two large red arrows point to the 'Test Printing' link and the 'Apply Changes' button, respectively, to draw attention to these actions. The rest of the interface, including the navigation bar, tabs, and configuration fields, is identical to the previous screenshot.

Print Templates

Location: *Administration* → *Workstation* → *Print Templates*



Print templates are used to configure various receipts and printable data in Evergreen. They are created using a combination of HTML, CSS, and Angular expressions, and are assigned to printing contexts. Print contexts allow you to use Hatch to preset the printer to which a selected template will be sent. As an example, the Checkout receipt template might be set to the Receipt context so that it always prints on your chosen receipt printer.



HTML tags and CSS styling allow for a great deal of local customization in the presentation. There are hundreds of instructional websites and books out there to help you get to know HTML and CSS. If you'd like slightly more structured instruction, you might try the curriculum at:

- [Codecademy](#)
- [W3Schools](#)

Angular expressions provide the dynamic content in a receipt or printable report. Angular use is changing rapidly in Evergreen, but there are many online support websites, including:

- [Angular \(the project\)](#)
- [W3Schools](#)

The Angular expressions are used to define what information from the database appears on a selected receipt. Not all expressions are available on every receipt. Most objects and fields specific to a given receipt type are listed in the leading comment section of the receipt template. Expressions are built with fields out of objects.

Expressions are placed inside paired double curly brackets, e.g.

`{{patron.first_given_name}}`, `{{checkout.title}}`, `{{dest_location.shortname}}`. Use periods to join them and pull out specific data, i.e. `{{patron.money_summary.balance_owed}}` looks at the value stored for the `balance_owed` from the `money_summary` portion of the `patron` object.

For general use in the Print Template Editor, you only need to know how to enter an expression and how to style it. Angular styling is completed by adding a pipe (`|`) to the end of the expression and adding a filter to transform the base entry. Examples of some of the transform filters used in templates include:

- **currency:** adds currency notation to a number
 - `{{payment_total | currency}}` == \$12.99
- **date:** present a date in a specified format.
 - `{{checkout.circ.due_date | date:'mediumDate'}}` == Apr 15, 2018
 - `{{hold.shelf_expire_time | date:'MM/dd'}}` == 04/15
- **limitTo:** creates a substring
 - `{{patron.family_name | limitTo:3}}` == Jon [*First 3 letters of patron last name*]
 - `{{patron.card.barcode | limitTo:-3}}` == 345 [*Last 3 digits of patron barcode*]
- **uppercase:** makes all characters in a string upper case.
 - `{{patron.family_name | limitTo:3 | uppercase}}` == JON [*First 3 letters of patron last name in all capital letters*]

Editing Print Templates

To edit templates, select the desired template from the Template Name dropbox and enter your edits into the Template box.

The screenshot shows the 'Print Templates' interface. At the top, there's a navigation bar with links like Search, Circulation, Cataloging, Acquisitions, Booking, and Administration. Below this, the 'Print Templates' section has a 'Template Name' dropdown set to 'Transit Slip', a 'Force Printer Context' dropdown set to 'Receipt', and buttons for 'Reset to Default', 'Save Locally', 'Import', and 'Export Customized Templates'. The main area is split into two columns: 'Preview' and 'Template'. The 'Preview' column shows a sample transit slip for 'SJPL-DT' (St. Joseph - Downtown Library) with address, barcode, title, author, and date. The 'Template' column shows the underlying HTML code for the slip, including fields for destination library, address, city, state, post code, courier code, barcode, copy status, title, and author.

Be sure to click **Save Locally** after each template edit in order to save any changes made!

This close-up view of the 'Print Templates' interface highlights the 'Save Locally' button with a red arrow. The 'Template Name' dropdown is set to 'Transit Slip' and the 'Force Printer Context' dropdown is set to 'Receipt'. The 'Reset to Default' and 'Save Locally' buttons are visible, with 'Save Locally' being the focus of the red arrow.


Restoring Print Templates

You can always restore a print template to the consortium default by clicking on *Reset to Default* and then *Save Locally*. This can be especially useful if you've made a lot of edits to a template but are not happy with the results.

This close-up view of the 'Print Templates' interface highlights the 'Reset to Default' and 'Save Locally' buttons with red arrows. The 'Template Name' dropdown is set to 'Transit Slip' and the 'Force Printer Context' dropdown is set to 'Receipt'. The 'Reset to Default' and 'Save Locally' buttons are visible, with both being the focus of red arrows.

Sharing Print Templates

The entire set of print templates may be exported and shared on other workstations. You cannot pick and choose individual templates for export. Simply click on **Export Customized Templates** to save the file to an accessible location.




The screenshot shows the 'Print Templates' interface. It includes a 'Template Name' dropdown menu set to 'Transit Slip', a 'Force Printer Context' dropdown menu set to 'Receipt', and buttons for 'Reset to Default', 'Save Locally', 'Import', and 'Export Customized Templates'. A red arrow points to the 'Export Customized Templates' button.

Then open that location and click on **Import** on the new workstation.

For sharing single templates, it is simple to copy and paste the text of the template from one workstation to another.

Be sure to *Save Locally* after pasting the replacement template into a new workstation.



The screenshot shows the 'Print Templates' interface. It includes a 'Template Name' dropdown menu set to 'Transit Slip', a 'Force Printer Context' dropdown menu set to 'Receipt', and buttons for 'Reset to Default', 'Save Locally', 'Import', and 'Export Customized Templates'. A red arrow points to the 'Save Locally' button.

Available Customized Print Templates


- Bills, Current
- Bills, Historical
- Bills, Payment
- Checkin
- Checkout
- Hold Shelf Slip
- Hold Transit Slip
- Holds for Bib Record
- Holds for Patron
- Holds Pull List
- Hold Shelf List
- In-House Use List
- Item Status
- Items Out
- Patron Address
- Patron Note
- Renew
- Transit List
- Transit Slip
- Offline Checkout
- Offline Renew
- Offline Checkin
- Offline In-House Use

Additional Receipt Template Customization Tips


Some receipt template customization tips and code snippets have been gathered from the Evergreen ILS User community and are available [here](#).

Grid Management


Most interfaces in the client include grids that may be configured using the Column Picker/Grid Manager. Each grid may be configured separately on each user account. Each grid has a unique set of columns that may be added or removed to enhance the interface's usefulness. The column picker/grid manager menu is accessed by clicking on the down arrow button on the grid menu.




To add or remove columns, click on the column picker/grid manager button and click on the entries. An orange "x" indicates that a column is not in use. A green check mark indicates the column appears in the grid.




You can move and select/deselect columns using the **Manage Columns** option. Sortable interfaces also allow you to set primary sort columns rather than relying on the default Left-to-Right order.




An orange “x” indicates that a column is not in use. A green checkmark indicates the column appears in the grid. Use the up arrows to move a selected column to the left; down arrows move columns to the left. Sort priority may be set if you do not wish to sort on the default Left-to-Right order.



You can manage column widths using the **Manage Column Widths** option. Changes made here are relative, so widening one column narrows all of the others.



Use the **Save Columns** menu option to finalize your settings.



Work Log

Location: [Administration](#) → [Local Administration](#) → [Work Log](#)

The Work Log records check-ins, check-outs, patron registration, patron editing, renewals, payments and holds placed from with the patron record for a given login.

There are two separate logs: Most Recently Logged Staff Actions and Most Recently Affected Patrons.

- The Most Recently Logged Staff Actions logs the transactions in order they have occurred on the workstation.
- The Most Recently Affected Patrons log is a listing of the last patrons that transactions were created for.

The Work Log can contain a maximum number of transactions; this number is set via the [Library Settings Editor](#). They are in the GUI group of settings. Work Log: Maximum Actions Logged effects the number of transactions listing under the Most Recently Logged Staff Actions and Work Log: Maximum Patrons Logged limits the number of patrons that are listed in the log.

Example


Work Log				
Most Recently Logged Staff Actions				
Refresh Retrieve Item Retrieve Patron				
Rows 10 Page 1				
#	Message	Patron	Item	When
1	Edited Patron	Floyd		12/23/2019 9:00 AM
2	Check In	Mitchell		12/23/2019 9:02 AM
3	Check Out	Floyd	CONC4000085	12/23/2019 9:02 AM
4	Check Out	Floyd	CONC4000085	12/23/2019 9:02 AM
5	Check Out	Floyd	CONC43000118	12/23/2019 9:02 AM
6	Check In	Dunn	CONC40000132	12/23/2019 9:06 AM
7	Check Payment	Dunn		12/23/2019 9:06 AM
8	Check In	Dunn	CONC40000129	12/23/2019 9:09 AM
9	Credit Card Payment	Floyd		12/23/2019 9:11 AM
10	Check In		CONC4400081	12/23/2019 9:23 AM
Most Recently Affected Patrons				
Retrieve Item Retrieve Patron				
Rows 25 Page 1				
#	Message	Patron	Item	When
1	Check In	Mitchell		12/23/2019 9:02 AM
2	Check In	Dunn	CONC40000129	12/23/2019 9:09 AM
3	Credit Card Payment	Floyd		12/23/2019 9:11 AM

Address Alerts

Location: [Administration](#) → [Local Administration](#) → [Address Alerts](#)

The Address Alert module gives administrators the ability to notify staff with a custom message when addresses with certain patterns are entered in patron records.


This feature only serves to provide pertinent information to your library system's circulation staff during the registration process. An alert will not prevent the new patron account from being registered, and the information will not be permanently associated with the patron account.



#	Owner	Alert Message	Street (1)	Street (2)	City	County	State	Postal Code	Country	Billing Address	Mailing Address	Match All Fields	Active	Address Alert ID
1	SIPL	Verify County						64506		No	No	No	Yes	111
2	SIPL	Temporary Housing - Felix Oxford House	1419 Felix Street							No	No	No	Yes	125
3	SIPL	Temporary Housing - Family Guidance	901 Felix St							No	No	No	Yes	115
4	SIPL	Temporary Housing - Felix Oxford House	1419 Felix St.							No	No	No	Yes	134
5	SIPL	Temporary Housing - Fellowship House	2421 Francis Street							No	No	No	Yes	121
6	SIPL	Temporary Housing - Fellowship House	2421 Francis St.							No	No	No	Yes	135

Staff View of Address Alerts

When an Address Alert is triggered by a matching address, staff will see the address block highlighted with a red dashed line, along with an Address Alert block which contains the alert message.



Register Patron

Show: Required Fields Suggested Fields All Fields

Print Save Save & Clone

Address Mailing Physical X 385 patron(s) with same address

Type Mailing

Postal Code 64506

Street (1)

Street (2)

City Saint Joseph

County Andrew

State MO

Country US

Valid Address? ☒

Address Alert Verify County

Adding a New Address Alert

To create a new address alert, click **New Address Alert**.

The screenshot shows the 'Record Editor: Address Alert' form. The form is a modal window with a teal header. It contains several input fields: Owner, Alert Message, Street (1), Street (2), City, County, State, Postal Code, and Country. Below these are three radio button groups for 'Billing Address', 'Mailing Address', and 'Match All Fields', each with 'Yes' and 'No' options. At the bottom is an 'Active' radio button group and an 'Address Alert ID' field. 'Cancel' and 'Save' buttons are at the bottom right. The background shows a blurred view of the library's main interface with a sidebar and a main content area.

- **Owner** (required): The organization unit who owns this alert. Set to system or branch.
- **Alert Message** (required): Message that will be displayed to staff when this alert is triggered.
- **Street (1)** (optional): Street 1 field regular expression.
- **Street (2)** (optional): Street 2 field regular expression.
- **City** (optional): City regular expression.
- **County** (optional): County regular expression.
- **State** (optional): State regular expression.
- **Postal Code** (optional): Postal Code regular expression.
- **Country** (optional): Country regular expression.
- Billing Address (optional):
 - **Yes:** The alert will only match a billing address
 - **No:** The alert will look at all address types
- Mailing Address (optional):
 - **Yes:** The alert will only match a mailing address
 - **No:** The alert will look at all address types
- Match All Fields (optional):
 - **Yes:** All the fields need to match to trigger the alert
 - **No:** Only at least one field needs to match
- **Active** (optional): Check-box that controls if the alert is active or not. Inactive alerts are not processed.

Once the fields are filled in, click **Save** to create the new Address Alert.

Editing an Address Alert

To edit an address alert, double click on the location from the list, or right-click or select **Actions** and choose **Edit Selected**.

Deleting an Address Alert

If you wish to remove an existing address alert, either right click on the entry or select **Actions** and choose **Delete Selected**.

SIP Accounts – Third Party Authentications

Many Missouri Evergreen libraries contract with third-party software vendors for products that need to connect with the Evergreen ILS to work. To verify certain types of information, an MEC member library will require a SIP user account. SIP user accounts are special accounts that must be created and configured by Equinox; they cannot be activated locally. Please contact the Equinox Help Desk for assistance with SIP.

Some examples of third-party software and/or services that require access to Missouri Evergreen resources are:

- Self-checkout stations including RFID
- PC Time Management Systems that require access to patron accounts
- E-book providers who need to authenticate against the Evergreen Indiana patron database
- Remote database authentication (like EZ Proxy)

The Equinox Help Desk staff should be consulted during all negotiations with vendors to ensure that their products are compatible with the Evergreen software and that those products comply with Missouri Evergreen policies if SIP access will be required.

Library Management

Closed Dates Editor

Location: *Administration* → *Local Administration* → *Closed Dates Editor*

Accessed through the Local Administration page of the Administration menu, the Closed Dates Editor allows staff with local administration permissions to enter special closures into the system. No fines are assessed during special closures and grace days are forward shifted around them. It is possible to enter a manual specific due date for a special closure date, but the system will not set materials to be due on those dates otherwise.

When opened initially, the editor will show a list of existing closed dates from the date picker forward (previous closures are hidden).

The screenshot shows the 'Closed Dates Editor' interface. At the top, there is a navigation bar with tabs: Search, Circulation, Cataloging, Acquisitions, Booking, and Administration. The user is logged in as 'mkemmrch @ AC-Mary Kay's Laptop'. Below the navigation bar, the title 'Closed Dates Editor' is displayed. On the left, there is a section 'Edit Closed Dates for:' with a text input field containing 'AC'. Below this are 'Refresh' and 'Add closing' buttons. On the right, there is a 'Date Filter:' section with a date picker set to 'Sep 8, 2025'. Below the date filter are navigation buttons: '<<', '<', '>', '>>', 'Actions', 'Rows 25', 'Page 1', and a settings icon. The main area contains a table with the following data:

#	Closing Start	Closing End	Reason for Closing	Emergency Closing Processing Summary
1	10/31/2025	10/31/2025	Halloween	
2	11/11/2025	11/11/2025	Veteran's Day	
3	11/27/2025	11/28/2025	Thanksgiving Observance	
4	12/24/2025	12/25/2025	Christmas Observance	

Adding closures

Click on the **Add Closing** button to open the editor.

This screenshot is identical to the one above, but the 'Add closing' button is circled in red to highlight it. The table of existing closures remains the same.

If you have multiple branches, you can apply the closure to all of them by checking the box next to **"Apply to all of my libraries."** Leaving the box blank will apply the closure just to the branch listed at the top of your screen. This will need to be selected even if your library at the system-level is visible.

Library Closing

Library: AC

Apply to all of my libraries: ☒

Closing type: One Full Day

Date: 09/09/2025

Reason:

Possible Emergency Closing

Emergency: ☐

Process immediately: ☐

OK Cancel

Select the closure type: 1-day, multiple days, detailed (hourly).

Library Closing

Library: AC

Apply to all of my libraries: ☐

Closing type: One Full Day

Date: 10/31/2025

Reason:

Possible Emergency Closing

Emergency: ☐

Process immediately: ☐

OK Cancel

Select a date for the closure. You can enter it using your keyboard or by clicking on the calendar widget and choosing a date there.

The screenshot displays the 'Library Closing' dialog box. The 'Library' field is set to 'AC'. The 'Closing type' is 'One Full Day'. The 'Date' field shows a calendar for January 2026, with the 1st selected. The 'Reason' is 'Possible Emergency Closure' and the 'Emergency' status is 'Process immediately'. The background shows a table of existing closures:

#	Closing Start	Closing End
1	10/31/2025	10/31/2025
2	11/11/2025	11/11/2025
3	11/27/2025	11/28/2025
4	12/24/2025	12/25/2025

Give the closure a name/reason.

Click **OK** to save.

Your interface will refresh with the new closure appearing in the grid. Note that Emergency closures may require adjusting the date picker at the top of the interface to view.

Emergency closures

If you are forced to close unexpectedly due to circumstances beyond your control or need to schedule a closed date that is **fewer than 21 days in the future**, you can create an emergency closure so patrons are not negatively impacted by the closure. Emergency closures move due dates and hold expirations and void the fines assessed on the date of the emergency.

To create a closure as an emergency, follow the procedure above, but in the lower half of the editor, click the **Emergency** and **Process Immediately** boxes before saving.

The screenshot shows a 'Library Closing' dialog box overlaid on a library management interface. The dialog box contains the following fields and options:

- Library:** A dropdown menu showing 'AC'.
- Apply to all of my libraries:** An unchecked checkbox.
- Closing type:** A dropdown menu showing 'One Full Day'.
- Date:** A date picker showing '09/18/2025'.
- Reason:** A text input field containing 'Fog Closing'.
- Possible Emergency Closing:** A section with two options:
 - Emergency:** An unchecked checkbox.
 - Process immediately:** An unchecked checkbox.
- Buttons:** 'OK' and 'Cancel' buttons at the bottom right.


The 'Emergency' and 'Process immediately' checkboxes are circled in red in the original image.

Click on **OK** to finalize and the emergency processing will begin. It may take a few minutes depending on the number of transactions that need to be updated.

Once completed, you may need to adjust the Date Filter to view the date if in the past, but a summary of the transactions affected will appear in your grid for review.

Editing a closed date

Double-click on a closure or choose **Edit closing** from the **Actions** menu to reopen the editor and make any changes necessary.




The screenshot shows the 'Closed Dates Editor' interface. At the top, there is a navigation bar with tabs: Search, Circulation, Cataloging, Acquisitions, Booking, and Administration. The user is logged in as 'mkemrich @ AC-Mary Kay's Laptop'. Below the navigation bar, the 'Closed Dates Editor' title is displayed. On the left, there is a section 'Edit Closed Dates for:' with a text input field containing 'AC' and buttons for 'Refresh' and 'Add closing'. On the right, there is a 'Date' field set to 'Sep 9, 2025' and a 'Filter' dropdown. Below these, there is a table with columns: #, Closing Start, Closing End, Reason for Closing, and a 'Processing Summary' link. The table contains four rows of data. The 'Actions' menu is open, showing 'Edit closing' and 'Delete closing' options. The 'Edit closing' option is circled in red.

#	Closing Start	Closing End	Reason for Closing
1	10/31/2025	10/31/2025	Halloween
2	11/11/2025	11/11/2025	Veteran's Day
3	11/27/2025	11/28/2025	Thanksgiving Observance
4	12/24/2025	12/25/2025	Christmas Observance

Deleting a closed date

To remove a closing, select the closing and choose **Delete closing** from the Actions menu.



The screenshot shows the 'Closed Dates Editor' interface, similar to the previous one. The 'Actions' menu is open, showing 'Edit closing' and 'Delete closing' options. A red arrow points to the 'Delete closing' option.

#	Closing Start	Closing End	Reason for Closing
1	10/31/2025	10/31/2025	Halloween
2	11/11/2025	11/11/2025	Veteran's Day
3	11/27/2025	11/28/2025	Thanksgiving Observance
4	12/24/2025	12/25/2025	Christmas Observance

Shelving Location Groups

Location: *Administration* → *Local Administration* → *Shelving Location Groups*

This feature allows Local Administrators to create and name sets of shelving locations to use as a search filter in the catalog. OPAC-visible groups will display within the library selector in the Public Catalog.

The screenshot shows the 'Shelving Location Groups' interface. At the top, there's a navigation bar with 'Administration' selected. Below it, a search bar shows 'SJPL'. A 'New Location Group' button is in the top right. The main content area is divided into three sections:

- Location Groups:** A table with columns 'Name', 'Position', 'OPAC Visible?', and 'Actions'. It contains one entry: 'Adult Nonfiction' at position 1, which is 'Visible'. Actions are 'Edit', 'Delete', and a settings icon.
- Shelving Locations in Group: Adult Nonfiction:** A list of 15 locations with checkboxes, including 'SJPL ANF - Food & Drink', 'SJPL ANF - Hobbies & Sports', 'SJPL ANF - Health & Medicine', 'SJPL ANF - Fine Arts & Literature', 'SJPL ANF - History & Culture', 'SJPL ANF - Miscellaneous', 'SJPL ANF - Careers & Education', 'SJPL ANF - Home & Garden', 'SJPL ANF - Nature & STEM', 'SJPL Adult Biography', 'SJPL ANF - Self Help & Spirituality', 'SJPL Adult Large Print Nonfiction', and 'SJPL Adult Nonfiction'.
- All Shelving Locations:** A list of 15 locations with checkboxes, including 'ME', 'ME Stacks', 'SJPL 100 Books', 'SJPL ANF - Careers & Education', 'SJPL ANF - Fine Arts & Literature', 'SJPL ANF - Food & Drink', 'SJPL ANF - Health & Medicine', 'SJPL ANF - History & Culture', 'SJPL ANF - Hobbies & Sports', 'SJPL ANF - Home & Garden', 'SJPL ANF - Miscellaneous', 'SJPL ANF - Nature & STEM', 'SJPL ANF - Self Help & Spirituality', and 'SJPL Adult Audiobook'.

Creating a Shelving Location

To create a new shelving *location*, click **New Location Group**.

This screenshot is identical to the one above, but with a red arrow pointing to the 'New Location Group' button in the top right corner, highlighting the action to create a new group.

Record Editor: Item/Shelving Location Group

Display Above Orgs
☐ Yes
☐ No
(Unset)

Is OPAC Visible?
☐ Yes
☐ No
(Unset)

Name

Owning Library
SJPL

Position

Cancel
Save

- **Display Above Orgs** (required entry):
 - Yes: The group will appear above the branches or sub-libraries of its parental org unit.
 - No: The group will only appear for the org unit selected.
- **Is OPAC Visible?** (required entry):
 - Yes: Allows patrons to use the location groups on the public catalog.
 - No: Only staff can use the location groups.
- **Name:** The name of the shelving location group as you wish it to appear in the catalog.

Once the fields are filled in, click **Save** to create the new shelving location group.

Select the shelving locations that you want to add to the group and click **Add to group**. The shelving locations will populate the middle column, Group Entries.

The screenshot shows the 'Shelving Location Groups' interface. At the top, there is a navigation bar with links: Search, Circulation, Cataloging, Acquisitions, Booking, and Administration. The user is logged in as 'sjplbarton @ SJPL-DT-DT-CHLD-5'. The main heading is 'Shelving Location Groups'. Below this, there is a search box for 'Shelving Location Groups for: SJPL' and a 'New Location Group' button. The interface is divided into three main sections: 'Location Groups', 'Shelving Locations in Group: Adult Nonfiction', and 'All Shelving Locations'.

Location Groups
Location groups can be re-ordered by dragging and dropping.

Name	Position	OPAC Visible?	Actions
Adult Nonfiction	1	Visible	Edit Delete

Shelving Locations in Group: Adult Nonfiction
Remove from group →

All Shelving Locations
→ Add 10 to group

- ☐ ME
- ☐ ME Stacks
- ☐ SJPL 100 Books
- ☒ SJPL ANF - Careers & Education
- ☒ SJPL ANF - Fine Arts & Literature
- ☒ SJPL ANF - Food & Drink
- ☒ SJPL ANF - Health & Medicine
- ☒ SJPL ANF - History & Culture
- ☒ SJPL ANF - Hobbies & Sports
- ☒ SJPL ANF - Home & Garden
- ☒ SJPL ANF - Miscellaneous
- ☒ SJPL ANF - Nature & STEM
- ☒ SJPL ANF - Self Help & Spirituality
- ☐ SJPL Adult Audiobook

A red arrow points to the 'Add 10 to group' button.

Shelving Location Order

Location: *Administration* → *Local Administration* → *Shelving Location Order*

By default, Evergreen displays shelving locations in alphabetical order. This order can be modified per org unit by the Local Administrator.

The screenshot shows the 'Shelving Location Order' interface for the 'SJPL-DT' Context Org Unit. At the top, there are navigation tabs: Search, Circulation, Cataloging, Acquisitions, Booking, and Administration. The user is logged in as 'sjplbarton @ SJPL-DT-DT-CHLD-5'. Below the title bar, there is a 'Context Org Unit' dropdown set to 'SJPL-DT' and four arrow buttons (up, down, top, bottom) to reorder the list. A 'Save Changes' button is on the right. The instruction 'Select a shelving location below and use the arrows above to change its position.' is displayed. The list of shelving locations is as follows:

1. ☐ (ME)
2. ☐ 100 Books (SJPL)
3. ☐ ANF - Careers & Education (SJPL)
4. ☐ ANF - Fine Arts & Literature (SJPL)
5. ☐ ANF - Food & Drink (SJPL)
6. ☐ ANF - Health & Medicine (SJPL)
7. ☐ ANF - History & Culture (SJPL)
8. ☐ ANF - Hobbies & Sports (SJPL)
9. ☐ ANF - Home & Garden (SJPL)
10. ☐ ANF - Miscellaneous (SJPL)
11. ☐ ANF - Nature & STEM (SJPL)
12. ☐ ANF - Self-Help & Spirituality (SJPL)

Choose the Org Unit you wish to reorder. Use the arrows to move the Shelving Location to change the position. Click **Save Changes**.


This screenshot shows the same 'Shelving Location Order' interface, but with '100 Books (SJPL)' selected. The 'Context Org Unit' remains 'SJPL-DT'. The 'Selected: 100 Books (SJPL)' text is now visible next to the arrow buttons. A red arrow points to the down arrow button. The 'Save Changes' button is highlighted with a yellow box. The list of shelving locations is the same as in the previous screenshot, but the second item, '100 Books (SJPL)', is now selected with a radio button.

1. ☐ (ME)
2. ☒ 100 Books (SJPL)
3. ☐ ANF - Careers & Education (SJPL)
4. ☐ ANF - Fine Arts & Literature (SJPL)
5. ☐ ANF - Food & Drink (SJPL)
6. ☐ ANF - Health & Medicine (SJPL)
7. ☐ ANF - History & Culture (SJPL)
8. ☐ ANF - Hobbies & Sports (SJPL)
9. ☐ ANF - Home & Garden (SJPL)
10. ☐ ANF - Miscellaneous (SJPL)
11. ☐ ANF - Nature & STEM (SJPL)
12. ☐ ANF - Self-Help & Spirituality (SJPL)

Shelving Locations Editor

Location: *Administration* → *Local Administration* → *Shelving Locations Editor*

Local Administrators are responsible for configuring and maintaining their libraries' Shelving Locations. The **Shelving Locations Editor** is used to create, modify, and delete shelving locations.




The screenshot shows the 'Shelving Location' editor interface. At the top, there's a search bar with 'SIJPL' and checkboxes for '+ Ancestors' and '+ Descendants'. Below this are buttons for 'Remove Filters', 'New Shelving Location', and 'Apply Translations'. A table lists 12 shelving locations. The table has columns: #, Owning Org Unit, Name, Is OPAC Visible?, Can Circulate?, Is Holdable?, Hold Capture Requires Verification, Checkin Alert, Is Deleted?, Label Prefix, Label Suffix, URL, and Location ID. A red arrow points to the 'Name' column header.

#	Owning Org Unit	Name	Is OPAC Visible?	Can Circulate?	Is Holdable?	Hold Capture Requires Verification	Checkin Alert	Is Deleted?	Label Prefix	Label Suffix	URL	Location ID
1	SIJPL	100 Books	Yes	Yes	Yes	No	No	No				5896
2	SIJPL	ANF - Careers & Education	Yes	Yes	Yes	No	No	No				7666
3	SIJPL	ANF - Fine Arts & Literature	Yes	Yes	Yes	No	No	No				7658
4	SIJPL	ANF - Food & Drink	Yes	Yes	Yes	No	No	No				7661
5	SIJPL	ANF - Health & Medicine	Yes	Yes	Yes	No	No	No				7662
6	SIJPL	ANF - History & Culture	Yes	Yes	Yes	No	No	No				7664
7	SIJPL	ANF - Hobbies & Sports	Yes	Yes	Yes	No	No	No				7659
8	SIJPL	ANF - Home & Garden	Yes	Yes	Yes	No	No	No				7660
9	SIJPL	ANF - Nature & STEM	Yes	Yes	Yes	No	No	No				7665
10	SIJPL	ANF - Self Help & Spirituality	Yes	Yes	Yes	No	No	No				7663
11	SIJPL	Adult Audiobook	Yes	Yes	Yes	No	No	No				5897
12	SIJPL	Adult Biography	Yes	Yes	Yes	No	No	No				5898

Creating a shelving location

To create a new shelving location, click **New Shelving Location**.



This screenshot is identical to the one above, but with a red arrow pointing to the 'New Shelving Location' button in the top navigation bar.

#	Owning Org Unit	Name	Is OPAC Visible?	Can Circulate?	Is Holdable?	Hold Capture Requires Verification	Checkin Alert	Is Deleted?	Label Prefix	Label Suffix	URL	Location ID
1	SIJPL	100 Books	Yes	Yes	Yes	No	No	No				5896
2	SIJPL	ANF - Careers & Education	Yes	Yes	Yes	No	No	No				7666
3	SIJPL	ANF - Fine Arts & Literature	Yes	Yes	Yes	No	No	No				7658
4	SIJPL	ANF - Food & Drink	Yes	Yes	Yes	No	No	No				7661
5	SIJPL	ANF - Health & Medicine	Yes	Yes	Yes	No	No	No				7662
6	SIJPL	ANF - History & Culture	Yes	Yes	Yes	No	No	No				7664
7	SIJPL	ANF - Hobbies & Sports	Yes	Yes	Yes	No	No	No				7659
8	SIJPL	ANF - Home & Garden	Yes	Yes	Yes	No	No	No				7660
9	SIJPL	ANF - Nature & STEM	Yes	Yes	Yes	No	No	No				7665
10	SIJPL	ANF - Self Help & Spirituality	Yes	Yes	Yes	No	No	No				7663
11	SIJPL	Adult Audiobook	Yes	Yes	Yes	No	No	No				5897
12	SIJPL	Adult Biography	Yes	Yes	Yes	No	No	No				5898

Record Editor: Shelving Location

Owning Org Unit

Name

Is OPAC Visible?

☐ Yes
☐ No
(Unset)

Can Circulate?

☐ Yes
☐ No
(Unset)

Is Holdable?

☐ Yes
☐ No
(Unset)

Hold Capture Requires Verification

☐ Yes
☐ No
(Unset)

Checkin Alert

☐ Yes
☐ No
(Unset)

Is Deleted?

☐ Yes
☐ No

Label Prefix

Label Suffix

URL

Location ID

Cancel
Save

- **Owning Org Unit** (required entry): Use your system for any locations that may be shared across sites. Select a branch level location if it is unique to a specific branch.
- **Name** (required entry): The name of the shelving location as you wish it to appear in the catalog.
- **Is OPAC Visible?** (required entry):
 - Yes: Allows everything in that location to be viewed by both patrons and staff.
 - No: Only staff can see holdings in that location.
- **Can Circulate?** (required entry):
 - Yes: Allows circulation of any holdings in that shelving location.
 - No: Prevents circulation of any holdings in that shelving location. (May be overridden with administrative permissions.)
- **Is Holdable?** (required entry):
 - Yes: Allows holds to be placed on any holdings in that shelving location.
 - No: Prevents holds from being placed on any holdings in that shelving location.
- **Hold Capture Requires Verification** (optional):
 - Yes: Triggers a verification that the hold can be captured.
 - No: Allows for the capture of holds.
- **Checkin Alert** (optional):

- Yes: Triggers an alert on checkin instructing staff to route materials to the shelving location.
- No: No alert is triggered.
- **Label prefix** (optional): Can be used to generate spine label prefixes for holdings in a shelving location, e.g., LP, JF.
- **Label suffix** (optional): Can be used to generate spine label suffixes for holdings in a shelving location.
- **URL** (optional): An optional feature to allow staff to add documentation, e.g. a location map. Any URL entered here will be the target of a link created with the shelving location's name in the holdings grid of the OPAC bib record view.

Once the fields are filled in, click **Save** to create the new shelving location.


Editing a shelving location

To edit the shelving location, double click on the location from the list, or right-click or select **Actions** and choose **Edit Selected**. You can modify all settings except for the *Owning Org Unit*.

Deleting a shelving location

If you wish to remove an existing shelving location, you must first verify that there are no active holdings still associated with that location. Active holdings may include lost, missing, and circulating holdings. These must be transferred to another location before you can delete the shelving location. You can delete the shelving location two ways:

- Right-click on the location and select **Delete Selected** and click **Confirm**
- Select the location and choose **Delete Selected** from the **Actions** menu and click **Confirm**.



Shelving Location

SIPL ☐ + Ancestors ☐ + Descendants

Remove Filters New Shelving Location Apply Translations

1 selected Actions IK < > Rows 100 ^ ⚙

	Owning Org Unit	Name ↑	Is OPAC Visible?	Can Circulate?	Is Holdable?	Hold Capture Requires Verification	Checkin Alert	Label Suffix	URL	Location ID
☒	SIPL	100 Books	Yes	Yes	Yes	No	No			5896
☐	SIPL	ANF - Careers & Education	Yes	Yes	Yes	No	No			7666
☐	SIPL	ANF - Fine Arts & Literature	Yes	Yes	Yes	No	No			7658
☐	SIPL	ANF - Food & Drink	Yes	Yes	Yes	No	No			7661
☐	SIPL	ANF - Health & Medicine	Yes	Yes	Yes	No	No			7662
☐	SIPL	ANF - History & Culture	Yes	Yes	Yes	No	No			7664
☐	SIPL	ANF - Hobbies & Sports	Yes	Yes	Yes	No	No			7659
☐	SIPL	ANF - Home & Garden	Yes	Yes	Yes	No	No			7660
☐	SIPL	ANF - Nature & STEM	Yes	Yes	Yes	No	No			7665
☐	SIPL	ANF - Self Help & Spirituality	Yes	Yes	Yes	No	No			7663
☐	SIPL	Adult Audiobook	Yes	Yes	Yes	No	No			5897

NOTE: Deleted shelving locations may still be shown in the Reports module. Adding “Z” to the name will move it to the bottom of the list and make it less likely that the location will be included in your results.

Barcode Completion


Location: *Administration* → *Local Administration* → *Barcode Completion*

Note: Local Administrator permission is needed to access the admin interface of the Barcode Completion feature.

The Barcode Completion feature gives Evergreen users the option of only needing to enter the unique part of patron and item barcodes. This can significantly reduce the amount of typing required for manual barcode input.

This feature can also be used if there is a difference between what the barcode scanner outputs and what is stored in the database, as long as the barcode that is stored has more characters than what the scanner is outputting.


Barcode Completion is additive only; you cannot use it to match a stored barcode that has fewer characters than what is entered. For example, if your barcode scanners previously output a123123b and now exclude the prefix and suffix, you could match both formats using Barcode Completion rules.



NOTE: Because this feature adds an extra database search for each enabled rule to the process of looking up a barcode, it can add extra delays to the check-out process. Please test in your environment before using this in production.

Administrative Rules

To create a barcode completion rule, select Barcode Completion from the Local Administration menu. Select “New Barcode Completions,” and you will get a work box:



The screenshot shows a web-based form titled "Record Editor: Barcode Completions". The form contains several sections with radio buttons and input fields. The "Active" section has "Yes" and "No" options. The "Applies to Items" section has "Yes" and "No" options. The "Applies to Users" section has "Yes" and "No" options. Below these are input fields for "ID", "Length", "Owner", "Padding", "Padding At End" (with "Yes" and "No" radio buttons), and "Prefix". The background shows a table with columns for selection, ID, and Yes/No status.

For Barcode Completion to function select “Active.” Determine whether you want this to apply to Items or Users. Mark one “no” and the other “yes.”

Next, mark the number of digits the item or patron barcode has.

The owner is your home library.

Padding is the use of repetitive characters or digits at the beginning or end of a barcode. An identifier prefix is often used in barcodes. For example, items may have the identifier 98778, while patron records may have the identifier 88778. Those numeric strings alert staff or other members of a consortium that the barcode represents an item or patron, and possibly a library.

Enter prefix or suffix padding if your library has used these determiners. Select “Save” when finished.

Access Points

The barcode completion functionality is available at the following interfaces:

Check Out

Check Out Option 1: Lookup Patron by Barcode

Check Out	Items Out	Holds	Bills	Messages	Edit	Other ▾
-----------	-----------	-------	-------	----------	------	---------

Patron Barcode

Submit

Note: Barcode Completion does not work in the Search for Patron [by Name] interface.

Check Out Option 2: Scanning Item Barcodes

Anderson, Leon		Check Out	Items Out (1)	Holds (0 / 0)	Bills (\$)
----------------	--	-----------	---------------	---------------	------------

Profile	Patrons
Home Library	BR1

Barcode ▾

Submit

Barcode completion is also available during check out if library setting "Load patron from Checkout" is set. (Automatically detects if an actor/user barcode is scanned during check out, and starts a new check out session using that user.)

Staff Client Place Hold from Catalog

[Search the Catalog](#) [Advanced Search](#) [Browse the Catalog](#)

Search: **Type:** **Format:**

[\[Refine My Original Search \]](#)

Place Hold

☒ Place hold for patron by barcode: **Patron Search**

☐ Place this hold for me (Administrator System Account)

Blueberry girl / written by Neil Gaiman ; illustrated by Charles Vess.

[Advanced Hold Options](#)

Pickup location:

Check In

Checkin Items

Barcode

Effective Date

Items Checked In

#	☐	Balance Ov	Barcode	Title	Route To	Circulation	Bill #	Circulation	Family Nan	Start	Checkin Da	Location	Finish
No Items To Display													

☐ Trim List (20 Rows) ☐ Strict Barcode

Item Status

Scan Item

OR No file chosen

Item Status

⏮

⏪

⏩

Actions ▾

Rows 25 ▾

Page 1 ▾

#		Alert Message	Barcode	Call Number	Due Date	Location	Copy Status	Title	Alerts
No Items To Display									

Multiple Matches

If multiple barcodes are matched, say if you have both "123" and "00000123" as valid barcodes, you will receive a list of all the barcodes that match all the rules that you have configured. It doesn't stop after the first rule that matches, or after the first valid barcode is found.

Logging ▾ Acquisitions ▾ Booking ▾ Administration ▾

Barcode Choice

✕

After auto completion multiple barcodes may match your input. Please choose the barcode you intended below.

376864 : test test from Example Consortium (CONS)

99999376864 : Leon Anderson from Example Branch 1 (BR1)

None of the above

Barcode Completion Data Fields Cheat Sheet

The following data fields can be set for each Barcode Completion rule.

Table 1. Barcode Completion Fields

Active	Check to indicate entry is active. Required
Owner	Setting applies to this organizational unit and to all children. Required
Prefix	Sequence that appears at the beginning of barcode.
Suffix	Sequence that appears at the end of barcode.
Length	Total length of barcode.
Padding	Character that pads out non-unique characters in the barcode.
Padding At End	Check if the padding starts at the end of the barcode.
Applies to Items	Check if entry applies to item barcodes.
Applies to Users	Check if entry applies to user barcodes.

Length and Padding

Length and Padding are related; you cannot use one without the other. If a barcode has to be a certain length, then it needs to be able to be padded out to that length. If a barcode has padding, then we need to know the maximum length that we need to pad out to. If length is set to blank or zero, or padding is left blank then they are both ignored.

Applies to Items/Users

One or both of these options must be checked for the rule to have any effect.

Administration ▾

Record Editor: Barcode Completions ✕

Active	☐
Applies to Items	☐
Applies to Users	☐

ID

Length	Length...
Owner	Owner...
Padding	Padding...
Padding At End	☐
Prefix	Prefix...
Suffix	Suffix...

Cancel Save

Create, Update, Filter, Delete/Disable Rules

Location: *Administration* → *Local Administration* → *Barcode Completion*

Barcode Completions Configuration

Library

SL1

☐ + Ancestors

☐ + Descendants

Remove Filters

New Barcode Completions

Apply Translations

0 selected

I<

<

>

Rows 10

☐	#	ID	Active	Owner	Prefix	Suffix	Length	Padding	Padding At End	Applies to Items	Applies to Users
			Filter	Filter	Filter	Filter	Filter	Filter	Filter	Filter	Filter
☐	1	1	Yes	SL1	4444		14		No	No	Yes
☐	2	2	Yes	SL1	12345		14		No	Yes	No

In the Barcode Completion admin interface, you can create, update and disable rules.

Create Rules

To create a new rule, click on the New button in the upper right corner. When you are done with editing the new rule click the **Save** button. If you want to cancel the new rule creation, click the Cancel button.

Update Rules

Double-click on the rule in the main list to edit that rule.

Filter Rules

This may be useful to filter the rules list if there are many rules. Click on the filter link to bring up the Filter Results dialog box. You can filter on any of the data fields, and you can set up multiple filter rules. Click Apply to enable the filter rules, only the rows that match will now be displayed.

To clear out the filter rules, delete all of the filter rules by clicking the X next to each rule, and then click Apply.

Delete/Disable Rules

It isn't possible to delete a rule from the database from the admin interface. If a rule is no longer needed set Active to "False" to disable it. To keep the number of rules down, reuse inactive rules when creating new rules.

Barcode Completion Examples

In all these examples, the unique part of the barcode is 123. So that is all that users will need to type to match the full barcode.

Barcode With Prefix and Padding

Barcode: 4545000123

To match this 10-character barcode by only typing in 123 we need the following settings.

- Active - Checked
- Owner - Set to your organizational unit.
- Prefix - 4545 - This is the prefix that the barcode starts with.
- Length - 10 - Total length of the barcode.
- Padding - 0 - Zeros will be used to pad out non-significant parts of the barcode.
- Applies to Items and/or Applies to Users – Checked

The system takes the 123 that you entered and adds the prefix to the beginning of it. Then the system adds zeros between the prefix and your number to pad it out to 10 characters. Then it will search the database for that barcode.

Barcode With Suffix

Barcode: 123000book

To match this 10-character barcode by only typing in 123 we need the following settings.

- Active - Checked
- Owner - Set to your organizational unit.
- Suffix - book - This is the suffix that the barcode ends with.
- Length - 10 - Total length of the barcode.
- Padding - 0 - Zeros will be used to pad out non significant parts of the barcode.
- Padding at End - Checked
- Applies to Items and/or Applies to Users – Checked

The system takes the 123 that you entered and adds the suffix to the end of it. Then adds zeros between your number and the suffix to pad it out to 10 characters. Then it searches the database for that barcode.

Barcode With Left Padding

Barcode: 0000000123

To match this 10-character barcode by only typing in 123 we need the following settings.

- Active - Checked
- Owner - Set to your organizational unit.
- Length - 10 - Total length of the barcode.
- Padding - 0 - Zeros will be used to pad out non-significant parts of the barcode.
- Applies to Items and/or Applies to Users – Checked

The system takes 123 that you entered, then adds zeros between your number and the left to pad it out to 10 characters. Then it searches the database for that barcode.

Barcode With Right Padding

Barcode: 1230000000

To match this 10-character barcode by only typing in 123 we need the following settings.

- Active - Checked
- Owner - Set to your organizational unit.
- Length - 10 - Total length of the barcode.
- Padding - 0 - Zeros will be used to pad out non-significant parts of the barcode.
- Padding at End - Checked
- Applies to Items and/or Applies to Users – Checked

The system takes 123 that you entered, then adds zeros between your number and the right to pad it out to 10 characters. Then it searches the database for that barcode.

Barcode of any Length with Prefix and Suffix

Barcode: a123b

To match this 5-character barcode by only typing in 123 we need the following settings. This use of Barcode Completion doesn't save many keystrokes, but it does allow you to handle the case where your barcode scanners at one point were set to output a prefix and suffix which was stored in the database. Now your barcode scanners may no longer include the prefix and suffix. These settings will simply add the prefix and suffix to any barcode entered and search for that.

- Active - Checked
- Owner - Set to your organizational unit.
- Length/Padding - 0/null - Set the length to 0 and/or leave the padding blank.
- Prefix - a - This is the prefix that the barcode starts with.
- Suffix - b - This is the suffix that the barcode starts with.
- Applies to Items and/or Applies to Users – Checked

The system takes 123 that you entered, then adds the prefix and suffix specified. Then it searches the database for that barcode. Because no length or padding was entered, this rule will add the prefix and suffix to any barcode that is entered and then search for that valid barcode.

Testing Barcodes

It has been recommended to test this feature before utilizing it. To prepare that test, set up the rules that you want, then set up a controlled group of items/users with barcodes that should match. Then try scanning the short version of those barcodes in the various supported access points.

Standing Penalties

Location: [Administration](#) → [Local Administration](#) → [Standing Penalties](#)

Evergreen includes twenty-one stock penalties, and administrators can create other penalty types if needed. Each penalty can be configured to block zero, one, or several circulation actions.

#	Penalty ID	Name	Label	Block List	Staff Alert	Org. Depth	Ignore Proximity
1	29	INVALID_PATRON_ADDRESS	Patron has an invalid address		No		
2	22	STAFF_C	Alerting block on Circ	CIRC	Yes		
3	23	STAFF_CH	Alerting block on Circ and Hold	CIRC HOLD	Yes		
4	24	STAFF_CR	Alerting block on Circ and Renew	CIRC RENEW	Yes		
5	26	STAFF_HR	Alerting block on Hold and Renew	HOLD RENEW	Yes		
6	27	STAFF_H	Alerting block on Hold	HOLD	Yes		
7	28	STAFF_R	Alerting block on Renew	RENEW	Yes		
8	31	INVALID_PATRON_EMAIL_ADDRESS	Patron had an invalid email address		Yes	0	
9	32	INVALID_PATRON_DAY_PHONE	Patron had an invalid daytime phone number		Yes	0	
10	33	INVALID_PATRON_EVENING_PHONE	Patron had an invalid evening phone number		Yes	0	

Stock Standing Penalty Types

- PATRON_EXCEEDS_FINES - Patron exceeds fine threshold
- PATRON_EXCEEDS_OVERDUE_COUNT - Patron exceeds max overdue item threshold
- PATRON_EXCEEDS_CHECKOUT_COUNT - Patron exceeds max checked out item threshold
- PATRON_EXCEEDS_COLLECTIONS_WARNING - Patron exceeds pre-collections warning fine threshold
- PATRON_EXCEEDS_LOST_COUNT - Patron exceeds max lost item threshold
- ALERT_NOTE - Alerting note, no blocks
- SILENT_NOTE - Note, no blocks
- STAFF_C - Alerting block on Circ
- STAFF_CH - Alerting block on Circ and Hold
- STAFF_CR - Alerting block on Circ and Renew
- STAFF_CHR - Alerting block on Circ, Hold and Renew
- STAFF_HR - Alerting block on Hold and Renew
- STAFF_H - Alerting block on Hold
- STAFF_R - Alerting block on Renew
- INVALID_PATRON_ADDRESS - Patron has an invalid address
- PATRON_IN_COLLECTIONS - Patron has been referred to a collections agency
- INVALID_PATRON_EMAIL_ADDRESS - Patron had an invalid email address
- INVALID_PATRON_DAY_PHONE - Patron had an invalid daytime phone number
- INVALID_PATRON_EVENING_PHONE - Patron had an invalid evening phone number

- INVALID_PATRON_OTHER_PHONE - Patron had an invalid other phone number
- PATRON_EXCEEDS_LONGOVERDUE_COUNT - Patron exceeds max long-overdue threshold

Creating a Standing Penalty Type

To create a standing penalty type, click **New Standing Penalty Type**.

The screenshot shows the 'Record Editor: Standing Penalty' form. The form has the following fields:

- Block List (Unset)
- Ignore Proximity (Unset)
- Label (Unset)
- Name (Unset)
- Org Depth (Unset)
- Penalty ID (Unset)
- Staff Alert (Unset) with radio buttons for Yes and No.

At the bottom of the form are 'Cancel' and 'Save' buttons. The background shows a table of existing penalty types with columns for #, ID, Name, and a description.

- **Block List** (optional): A list of the actions blocked by the penalty. Entered in any order using the pipe character as a delimiter.
 - **CIRC** – User cannot check out items, except items which may fill a hold. Items which can fill a hold are subject to the FULFILL action.
 - **HOLD** – User cannot place holds on items.
 - **RENEW** – User cannot renew items.
 - **CAPTURE** – User's holds cannot be captured.
 - **FULFILL** – User cannot check out an item that is on hold.
- **Ignore Proximity** (optional): If a value is set, the system will ignore the penalty if the proximity between patron's home library and item's home (or circulating) library is greater than the Ignore Proximity.
 - NULL / no value set – Penalty is not ignored anywhere.
 - 0 – Penalty is ignored at the patron's home branch.
 - 2 – Penalty is ignored at the patron's home system.
- **Label** (optional): A brief description of the penalty.
- **Name** (required entry): The name of the penalty. Do not use spaces.
- **Org Depth** (optional): Scope of the penalty, in terms of where a block or restriction will apply relative to the org unit where the penalty is calculated.
 - NULL / no value set
 - 0 – Penalty applies to the Consortium
 - 1 – Penalty applies to the System
 - 2 – Penalty applies to the Branch
 - 3 – Penalty applies to the Sub-library
- **Staff Alert** (optional): Indicates whether a staff member will be alerted about the penalty when viewing a patron's account.

Once the fields are filled in, click **Save** to create the new Standing Penalty Type.

Editing a Standing Penalty Type

To edit a standing penalty, either select the row and then navigate to **Edit Selected** in the Actions Menu on the upper right of the grid, right click on the row and choose **Edit Selected**, or double click on the grid row you wish to edit.

The screenshot shows a web application interface with a table of standing penalty types. A modal dialog titled "Record Editor: Standing Penalty" is open, allowing for the editing of a specific record. The dialog contains the following fields and options:

- Block List:** A text field containing "CIRC[FULL]RENEW".
- Ignore Proximity:** A text field with "(Unset)" below it.
- Label:** A text field containing "Patrons bills exceed \$200".
- Name:** A text field containing "BILLS_EXCEED_200".
- Org Depth:** A text field containing "1".
- Penalty ID:** A text field containing "103".
- Staff Alert:** A radio button group with "Yes" selected and "No" unselected.

At the bottom right of the dialog are "Cancel" and "Save" buttons. The background table shows various penalty types, including "STAFF", "INVALID ADDRESS", "INVALID PHONE", "PATRON CHECKOUT", "PATRON COLLECTION", "PATRON OVERDUE", and "PATRON EXCEEDS MAX LONG-TERM THRESHOLD".

Make your desired changes, and select **Save** to save your changes, or **Cancel** to exit the window without saving.

NOTE: The Name field cannot be edited for any of the stock penalties since they are referenced by name in legacy code.

Deleting a Standing Penalty Type

To delete a standing penalty type, either select the row and then navigate to **Delete Selected** in the Actions Menu on the upper right of the grid or right click on the row and choose **Delete Selected**.

WARNING: The interface does not warn you before deleting a standing penalty type, and deleting stock standing penalty types may cause unintended negative consequences in your Evergreen system. Proceed with extreme caution.

Custom Penalties

Administrators may customize system-applied penalties by using the following library settings to establish a mapping between a system-applied penalty and a new standing penalty that you create:


- Custom PATRON_EXCEEDS_FINES penalty
- Custom PATRON_EXCEEDS_OVERDUE_COUNT penalty
- Custom PATRON_EXCEEDS_CHECKOUT_COUNT penalty
- Custom PATRON_EXCEEDS_COLLECTIONS_WARNING penalty
- Custom PATRON_EXCEEDS_LOST_COUNT penalty
- Custom PATRON_IN_COLLECTIONS penalty
- Custom PATRON_EXCEEDS_LONGOVERDUE_COUNT penalty

The library setting instructs Evergreen to use the custom standing penalty in place of the system standing penalty and will automatically apply the custom penalty in the same manner as its mapped standing penalty.

The library setting uses the circulation library as the context organizational unit. Per standard library setting rules, the "closest" setting to the circulation will be applied.

Setting Up a Custom Penalty

Create a new Standing Penalty Type.



#	Penalty ID	Name	Label	Block List	Staff Alert	Org Depth	Ignore Proximity
1	29	INVALID_PATRON_ADDRESS	Patron has an invalid address		No		
2	22	STAFF_C	Alerting block on Circ	CIRC	Yes		
3	23	STAFF_CH	Alerting block on Circ and Hold	CIRC HOLD	Yes		
4	24	STAFF_CR	Alerting block on Circ and Renew	CIRC RENEW	Yes		
5	26	STAFF_HR	Alerting block on Hold and Renew	HOLD RENEW	Yes		
6	27	STAFF_H	Alerting block on Hold	HOLD	Yes		
7	28	STAFF_R	Alerting block on Renew	RENEW	Yes		
8	31	INVALID_PATRON_EMAIL_ADDRESS	Patron had an invalid email address		Yes	0	
9	32	INVALID_PATRON_DAY_PHONE	Patron had an invalid daytime phone number		Yes	0	
10	33	INVALID_PATRON_EVENING_PHONE	Patron had an invalid evening phone number		Yes	0	

Navigate to *Administration* → *Local Administration* → *Group Penalty Thresholds* and establish a threshold, organizational unit, and group for your penalty.

Group Penalty Threshold

SIPL ☐ + Ancestors ☐ + Descendants

Remove Filters New Group Penalty Threshold Apply Translations 0 selected Actions < > Rows 10

ID	Group	Penalty	Threshold	Org Unit
1 358	Users	PATRON_EXCEEDS_CHECKOUT_COUNT	999.00	SIPL
2 359	Users	PATRON_EXCEEDS_OVERDUE_COUNT	3.00	SIPL
3 360	Users	PATRON_EXCEEDS_FINES	1.00	SIPL
4 361	Collections	PATRON_EXCEEDS_CHECKOUT_COUNT	2.00	SIPL
5 362	Internet Only	PATRON_EXCEEDS_CHECKOUT_COUNT	1.00	SIPL
6 363	Probationary Patrons	PATRON_EXCEEDS_CHECKOUT_COUNT	6.00	SIPL
7 364	Temporary Card	PATRON_EXCEEDS_CHECKOUT_COUNT	3.00	SIPL
8 365	Homebound	PATRON_EXCEEDS_OVERDUE_COUNT	3.00	SIPL
9 366	In House	PATRON_EXCEEDS_OVERDUE_COUNT	3.00	SIPL
10 367	Institution	PATRON_EXCEEDS_OVERDUE_COUNT	3.00	SIPL

Navigate to *Administration* → *Local Administration* → *Library Settings* and locate the Library Setting for the system penalty you want to replace with your custom penalty.


Group Penalty Threshold

SIPL ☐ + Ancestors ☐ + Descendants

Remove Filters New Group Penalty Threshold Apply Translations 0 selected Actions < > Rows 10

ID	Group	Penalty	Threshold	Org Unit
1 358	Users	PATRON_EXCEEDS_CHECKOUT_COUNT	999.00	SIPL
2 359	Users	PATRON_EXCEEDS_OVERDUE_COUNT	3.00	SIPL
3 360	Users	PATRON_EXCEEDS_FINES	1.00	SIPL
4 361	Collections	PATRON_EXCEEDS_CHECKOUT_COUNT	2.00	SIPL
5 362	Internet Only	PATRON_EXCEEDS_CHECKOUT_COUNT	1.00	SIPL
6 363	Probationary Patrons	PATRON_EXCEEDS_CHECKOUT_COUNT	6.00	SIPL
7 364	Temporary Card	PATRON_EXCEEDS_CHECKOUT_COUNT	3.00	SIPL
8 365	Homebound	PATRON_EXCEEDS_OVERDUE_COUNT	3.00	SIPL
9 366	In House	PATRON_EXCEEDS_OVERDUE_COUNT	3.00	SIPL
10 367	Institution	PATRON_EXCEEDS_OVERDUE_COUNT	3.00	SIPL


Select the name of your custom penalty from the dropdown and select the organizational unit to which the custom penalty should apply.



Permission Tree Display Entries


Location: *Administration* → *Local Administration* → *Permission Tree Display Entries*

The permission tree display entries allow the list of patron (profile) permission groups to be customized per library.



Adding an Entry

To add a new display entry, select **+Add**.



- **Available Entries** (required entry): Select the permission group that you would like to add to the Main (Profile) Permission Group drop-down menu on a patron's account.
- **Add as root entry?**: This will be automatically checked if a pre-existing entry is not selected.

Once the fields are filled in, click **Save** to add the new display entry.


Deleting an Entry

To delete a display entry, select the entry and click **Remove**.

The screenshot shows a web application interface for managing permission groups. At the top is a dark green navigation bar with a home icon, a search dropdown, and several menu items: Circulation, Cataloging, Acquisitions, Booking, and Administration. On the right of the bar is the user 'sjplbarton @ SJPL-DT-DT-CHLD-5' and a list icon. Below the navigation bar is a light blue header for the 'Permission Group Tree Entries' section. Under this header, there is a sub-header 'Permission Group Entries in Library:' followed by a search input field containing 'SJPL'. To the right of the search field are five buttons: '+ Add' (green), '✕ Remove' (red), '↑ Move Up' (light blue), '↓ Move Down' (light blue), and '💾 Save' (dark blue). Below the search field is a list of 'Display Entries' with a downward arrow icon to the left. The entries are: Probationary Patrons, Resident, Non-resident, Minor, Temporary Card, Internet Only, Homebound, **Institution** (which is bolded), In House, Inter-library, and System Administrator.

Modify the List

To move the entries throughout the list, select the entry and click on either the **Move Up** button or the **Move Down** button.



Group Penalty Threshold

☐ + Ancestors ☐ + Descendants

Remove Filters New Group Penalty Threshold Apply Translations 0 selected Actions 14 < > Rows 10 ^ ⚙

	ID	Group	Penalty	Threshold	Org Unit
☐	#				
☐	1 358	Users	PATRON_EXCEEDS_CHECKOUT_COUNT	999.00	SJPL
☐	2 359	Users	PATRON_EXCEEDS_OVERDUE_COUNT	3.00	SJPL
☐	3 360	Users	PATRON_EXCEEDS_FINES	1.00	SJPL
☐	4 361	Collections	PATRON_EXCEEDS_CHECKOUT_COUNT	2.00	SJPL
☐	5 362	Internet Only	PATRON_EXCEEDS_CHECKOUT_COUNT	1.00	SJPL
☐	6 363	Probationary Patrons	PATRON_EXCEEDS_CHECKOUT_COUNT	6.00	SJPL
☐	7 364	Temporary Card	PATRON_EXCEEDS_CHECKOUT_COUNT	3.00	SJPL
☐	8 365	Homebound	PATRON_EXCEEDS_OVERDUE_COUNT	3.00	SJPL
☐	9 366	In House	PATRON_EXCEEDS_OVERDUE_COUNT	3.00	SJPL
☐	10 367	Institution	PATRON_EXCEEDS_OVERDUE_COUNT	3.00	SJPL

NOTE: An entry cannot be changed from a root entry. The entries will have to be deleted then readded under the root entry.

Group Penalties Thresholds

Location: *Administration* → *Local Administration* → *Group Penalty Thresholds*

Group Penalty Thresholds enables you to configure which penalty thresholds apply to which patron groups and organizational units.

Stock Evergreen includes four penalties each with a threshold value of 10, and you can configure three others as needed.

- **PATRON_EXCEEDS_FINES:** Blocks specified circulation actions if patron exceeds X in fines
- **PATRON_EXCEEDS_OVERDUE_COUNT:** Blocks specified circulation actions if patron exceeds X overdue items
- **PATRON_EXCEEDS_CHECKOUT_COUNT:** Blocks specified circulation actions if patron exceeds X items checked out
- **PATRON_EXCEEDS_LOST_COUNT:** Blocks specified circulation actions if patron exceeds X lost items

Additional penalties that can be configured with Group Penalty Thresholds include:

- **PATRON_EXCEEDS_LONGOVERDUE_COUNT:** Blocks specified circulation actions if patron exceeds X long-overdue items
- **PATRON_EXCEEDS_COLLECTION_WARNING:** Blocks specified circulation actions if patron exceeds X in fines. A user with this penalty will be flagged for review by the Collections API.
- **PATRON_IN_COLLECTIONS:** Blocks specified circulation actions if patron exceeds X in fines. This penalty is set by the Collections API.

Creating a Group Penalty Threshold

To create a new group penalty threshold, click **New Group Penalty Threshold**.

The screenshot shows a 'Record Editor: Group Penalty Threshold' dialog box. The fields are: Group (dropdown), ID (text), Org Unit (text), Penalty (dropdown), and Threshold (text). The background shows a table of existing thresholds.

ID	Group	Penalty	Threshold
1	363	Probation	
2	359	Users	
3	358	Users	
4	360	Users	
5	361	Collections	PATRON_EXCEEDS_CHECKOUT_COUNT
6	362	Internet Only	PATRON_EXCEEDS_CHECKOUT_COUNT
7	365	Homebound	PATRON_EXCEEDS_OVERDUE_COUNT
8	366	In House	PATRON_EXCEEDS_OVERDUE_COUNT
9	367	Institution	PATRON_EXCEEDS_OVERDUE_COUNT

- **Group** (required entry): The profile group to which the threshold should apply.
- **ID**: The system-assigned ID for the Group Penalty Threshold.
- **Penalty** (required entry): The penalty for which the threshold should be set.
 - Note: This dropdown includes several penalties for which numerical thresholds are not applicable. You can ignore ALERT_NOTE, SILENT_NOTE, and anything that starts with INVALID_ or STAFF_.
- **Org Unit** (required entry): The library organization to which the threshold should apply.
- **Threshold** (required entry): the numeric value of the threshold. This can represent a monetary value or a count value depending on the selected penalty.

Once the fields are filled in, click **Save** to create the new Group Penalty Threshold.

Editing a Group Penalty Threshold

To edit a group penalty threshold, either select the row and then navigate to **Edit Selected** in the Actions Menu on the upper right of the grid, right click on the row and choose **Edit Selected**, or double click on the grid row you wish to edit.

ID	Group	Penalty	Threshold	Org Unit
1	Probationary Patrons	PATRON_EXCEEDS_CHECKOUT_COUNT	6.00	SJPL
2	Users		3.00	SJPL
3	Users		9.00	SJPL
4	Users		1.00	SJPL
5	Collections	PATRON_EXCEEDS_CHECKOUT_COUNT	2.00	SJPL
6	Internet Only	PATRON_EXCEEDS_CHECKOUT_COUNT	1.00	SJPL
7	Homebound	PATRON_EXCEEDS_OVERDUE_COUNT	3.00	SJPL

Make your desired changes, and select **Save** to save your changes, or **Cancel** to exit the modal without saving.

Deleting a Group Penalty Threshold

To delete a group penalty threshold, either select the row and then navigate to **Delete Selected** in the Actions Menu on the upper right of the grid or right-click on the row and choose **Delete Selected**.

Library Settings Editor

Location: [Administration](#) → [Local Administration](#) → [Library Settings Editor](#)

The Library Settings Editor contains a very large number of settings that can be configured. While descriptions are made available in the setting names, some dependencies and functions may not be readily apparent when reviewing the overall list of settings. We encourage you to contact the HelpDesk if you wish to test a setting that is not currently set for your library. Some settings have already been set on a consortium level, but others may be set based on local policy. Please consider impacts on both consortium and local policy when choosing to change a setting to ensure you're in compliance with the consortium rules.

A short list of settings which your library should consider addressing include:

- Staff Login Inactivity Timeout (in seconds)
- OPAC Inactivity Timeout (in seconds)
- Void lost item billing when returned
- Void processing fee on lost item return
- Lost Materials Processing Fee
- Charge processing fee for damaged items
- Default Item Price (Used only if item price is listed as NULL.)

Use the search box at the top of the page to reduce the list of settings you wish to address/review to a more manageable and relevant list.

Click on **Edit** to set or update a setting. Deleting will convert the setting to a NULL.

Once you have clicked on either **Update Setting** or **Delete Setting**, your selection will be updated in the table. A toast message will appear on the screen in the bottom right corner.

Clicking on **History** will show you the history of the setting as it's been set or removed over time. Use the **Revert** link to roll back a change made to the settings.

Editing Library Settings

Settings having effects on the same function or module are grouped together. You may browse the list or search for the entry you want to edit. Type in your search term in the filter box. You may clear or re-apply the filter by clicking Clear Filter or Filter.

Library Settings Editor						
Context Location	MVL	hold	Filter	Clear Filter	Export	Import
			I<	<	>	Rows 10 ▾
#	Edit	History	Group	Setting	Context	Value
1	Edit	History	Circulation	Allow others to use patron account (privacy waiver)		
2	Edit	History	Circulation	Block hold request if hold recipient privileges have expired		
3	Edit	History	Circulation	Checkout Fills Related Hold		
4	Edit	History	Circulation	Checkout Fills Related Hold On Valid Copy Only		

To edit an entry click **Edit** in the line. Read the instruction in the pop-up window. Make the change. Click **Update Setting** to save the change. Click **Delete Setting** if you wish to delete it.

Edit Setting

Hold Shelf Status Delay

The purpose is to provide an interval of time after an item goes into the on-holds-shelf status before it appears to patrons that it is actually on the holds shelf. This gives staff time to process the item before it shows as ready-for-pickup. Examples: "5 days", "1 hour"

Context

MVL

Value

1 hour

Update Setting

Delete Setting

Click **History** to view the previous values, if any, of a setting. You can revert back to an old value by clicking **Revert**.

History

Hold Shelf Status Delay

I<

<

>

Rows 10

▼

⚙

#	Date Changed	Location	Original Value	New Value	Revert?
1	7/30/24	MVL	1 hour	2 hours	Revert
2	7/30/24	MVL		1 hour	Revert

Exporting/Importing Library Settings


To export library settings, click the **Export** button on the above Library Setting Editor screen. Click Copy in the pop-up window. Those settings displayed on the screen are copied to the clipboard. Paste the contents to a text editor, such as Notepad. Save the file on your computer.

Export

Copy this to your clipboard and save it to a file to export the settings.

```
{"circ.hold_shelf_status_delay":{"org":106,"value":"2 hours"}}
```

To import library settings, click the Import button on the Library Settings Editor screen. Open your previously saved file and copy the contents. Click **Paste** in the pop-up window. Click **Submit**.

A screenshot of an 'Import' dialog box. The dialog has a teal header with the word 'Import' and a close button (X). Below the header is a light gray bar with the text 'Paste in your exported settings.' Underneath this is a large text input field with a blue border. Inside the field is the JSON text: {"circ.hold_shelf_status_delay":{"org":106,"value":"2 hours"}}. The text 'circ.hold_shelf_status_delay' is underlined with a red wavy line. At the bottom left of the dialog is a 'Submit' button.

Import

Paste in your exported settings.

```
{"circ.hold_shelf_status_delay":{"org":106,"value":"2 hours"}}
```

Submit

Non-Cataloged Types Editor Directions

Location: *Administration* → *Local Administration* → *Non-Cataloged Types Editor*

Creating a new non-cataloged type

1. In the Non-Cataloged Types Editor, click the **New Non-Cataloged Type** button.
2. Specify the **Checkout Duration** (e.g., 7 days, 14 days). This determines the default loan period for this item.
3. Select whether the item is for **In House** use or not.
4. Enter a descriptive **Name** for the item type (e.g., "Paperbacks," "Game Console"). This name is what staff will see in the circulation module.
5. Select the **Owning Library** to which this item type will belong.
6. Click **Save** to create the new non-cataloged item type.

The screenshot shows a web form titled "Record Editor: Non-cataloged Type" with a close button (X) in the top right corner. The form contains several input fields and a section for radio buttons:


- Circulation Duration**: A text input field with the label "(Unset)" below it.
- In House?**: A section with two radio buttons labeled "Yes" and "No", with the label "(Unset)" below them.
- Name**: A text input field with a red vertical bar on the left and a blue icon with a star and the letter 'A' on the right.
- Non-cat Type ID**: A text input field.
- Owning Library**: A text input field with a red vertical bar on the left.

At the bottom right of the form are two buttons: "Cancel" and "Save".

Editing an existing non-cataloged type

From the list of non-cataloged types, find the one you wish to edit.

Double-click next to the name you will edit.



The image shows a web-based form titled "Record Editor: Non-cataloged Type" with a close button (X) in the top right corner. The form contains several input fields and a radio button group. The "Circulation Duration" field is labeled "(Unset)" and is empty. The "In House?" field has two radio buttons, "Yes" and "No", both of which are unselected, and is also labeled "(Unset)". The "Name" field is empty and has a red vertical bar on the left side, indicating it is the field being edited. The "Non-cat Type ID" field is empty. The "Owning Library" field is empty. At the bottom right of the form are "Cancel" and "Save" buttons.

You can then change the name, checkout duration, and status of in-house use as needed. Click Save to save your changes.

Using non-cataloged types during checkout

Once a non-cataloged type has been created, staff at the relevant library can use it during circulation:

- In the circulation module, access the patron's account.
- In the checkout screen, select the non-cataloged type from the drop-down menu.
- Enter the number of non-cataloged materials being checked out.

Deleting a non-cataloged type

Note: Non-Cataloged Types cannot be deleted at this time.

Statistical Categories Editor

Statistical categories (stat cats) allow libraries to associate locally interesting data with patrons and items. Each library may create and use stat cats when deemed helpful.

The Statistical Categories Editors are found on the Local Administration page of the Administration menu.

Items

Location: *Administration* → *Local Administration* → *Statistical Categories Editor - Item*

Currently, there is one usable consortium level item stat cat.

Statistical Category Editor - Item

ME ☐ + Ancestors ☐ + Descendants

Remove Filters New Statistical Category Editor - Item Apply Translations 0 selected Actions IK < > Rows 10 ^ ⚙

Entries	Name	Owning Library	Required	OPAC Visible	Checkout Archive	SIP Field	SIP Format	Stat Cat ID
☐ 1	Entries	Gift/Donation	ME	No	No	No		13

Create an item stat cat

To create a copy stat cat, click New Statistical Category Editor - Item.

Record Editor: Statistical Category Editor - Item

Name

Owning Library

Required ☐ Yes ☐ No (Unset)

OPAC Visible ☐ Yes ☐ No (Unset)

Checkout Archive ☐ Yes ☐ No (Unset)

SIP Field

SIP Format

Stat Cat ID

Cancel Save

- **Name** (required entry): The name that labels this entry on the item attributes interface.
- **Owning Library** (required entry): Select the library for which the stat cat applies.
- **Required** (required entry):
 - Yes: Every copy within the scope of this stat cat must have an entry for this stat cat.
 - No: Copies within the scope of this stat cat may have an entry for this stat cat.
- **OPAC Visible** (required entry):
 - Yes: When an option is made available to show copy stat cats in the catalog, the entry will appear.
 - No: When an option is made available to show copy stat cats in the catalog, the entry will not appear.
- **Checkout Archive** (optional):
 - Yes: Retain information with anonymized circulations.
 - No: Do not retain information with anonymized circulations.
- **SIP Field**: Leave blank
- **SIP Format**: Leave blank

Once the fields are filled in, click **Save** to create the new Item Stat Cat.

Modify an item stat cat

To modify an existing stat cat, double click on the row, or select from the Actions menu or right-click and choose **Edit Selected**. You can update the name, OPAC visibility and whether or not the information is archived with anonymized circulations. You cannot change the ownership of the statistical category.


The screenshot shows a web application interface with a modal dialog titled "Record Editor: Statistical Category Editor - Item". The dialog contains the following fields and options:

- Name:** Text input field containing "Age Group".
- Owning Library:** Text input field containing "SJPL".
- Required:** Radio button options: "Yes" (unselected) and "No" (selected). Below the options is the text "(Unset)".
- OPAC Visible:** Radio button options: "Yes" (unselected) and "No" (selected). Below the options is the text "(Unset)".
- Checkout Archive:** Radio button options: "Yes" (unselected) and "No" (selected). Below the options is the text "(Unset)".
- SIP Field:** Text input field, currently empty.
- SIP Format:** Text input field, currently empty.
- Stat Cat ID:** Read-only field displaying "197".

At the bottom right of the dialog are "Cancel" and "Save" buttons. The background of the application shows a table with columns "Entries", "Name", and "Stat Cat ID". The table contains several rows, with the row for "Age Group" (Stat Cat ID 197) highlighted.

Add listed entries on an item stat cat

For item stat cats, a list of possible entries must be provided for assignment to holdings. To add new entries, click on the **Entries** button under the *Entries* column of the stat cat grid.



	Entries	Name	Owning Library	Required	OPAC Visible	Checkout Archive	SIP Field	SIP Format	Stat Cat ID
☐	1	Entries	Age Group	SJPL	No	No	No		197
☐	2	Entries	Donation	SJPL	No	No	No		202
☐	3	Entries	Foreign Language	SJPL	No	No	No		198
☐	4	Entries	Grant	SJPL	No	No	No		204
☐	5	Entries	Holiday	SJPL	No	No	No		199
☐	6	Entries	Juvenile Category	SJPL	No	No	No		200
☐	7	Entries	Section of Library	SJPL	No	No	No		196

Click New Statistical Category Entry - Item.

Search

Circulation

Cataloging

Acquisitions

Booking

Administration

sjplbarton @ SJPL-DT-DT-OUT-01

Statistical Category Entry - Item

SJPL

+ Ancestors

+ Descendants

Filters Applied: ["stat_cat": 197]

←

Return

Remove Filters

New Statistical Category Entry - Item

Apply Translations

0 selected

Actions

⏪

⏩


Rows 10

⌵

⚙

	Stat Cat	Value	Entry Owner	Entry ID
☐	#			
☐	1 Age Group	ADULT	SJPL	752
☐	2 Age Group	JUVENILE	SJPL	753
☐	3 Age Group	YA	SJPL	754

Enter the value (entry name). The Entry Owner should match the owner of the statistical category. Click **Save** when finished. The new stat cat value will be available for staff to assign to holdings.



Record Editor: Statistical Category Entry - Item

Stat Cat: Age Group

Value:

Entry Owner: SJPL

Entry ID:

Cancel Save

NOTE: You cannot edit entries once they are created. You will have to delete the current entry and create a new one.

Patrons

Location: *Administration* → *Local Administration* → *Statistical Categories Editor - Patron*

There are no consortium-level patron stat cats.

The screenshot shows the 'Statistical Category Editor - Patron' interface. At the top, there's a search bar with 'SJPL' and checkboxes for '+ Ancestors' and '+ Descendants'. Below this are buttons for 'Remove Filters', 'New Statistical Category Editor - Patron', and 'Apply Translations'. A table lists existing categories with columns: Entries, Name, Owning Library, Required, OPAC Visible, User Summary, Free Text, Checkout Archive, SIP Field, SIP Format, and Stat Cat ID. Two entries are visible: 'Patron Registration Staff Initials' (ID 106) and 'Pest Issues' (ID 107).

Entries	Name	Owning Library	Required	OPAC Visible	User Summary	Free Text	Checkout Archive	SIP Field	SIP Format	Stat Cat ID
1	Patron Registration Staff Initials	SJPL	Yes	No	No	Yes	No			106
2	Pest Issues	SJPL	No	No	No	No	No			107

Create a patron stat cat

To create a patron stat cat, click New Statistical Category Editor - Patron.

The screenshot shows the 'Record Editor: Statistical Category Editor - Patron' form. It has fields for Name, Owning Library (set to SJPL), Required (radio buttons Yes/No), OPAC Visible (radio buttons Yes/No), User Summary (radio buttons Yes/No), Free Text (radio buttons Yes/No), Checkout Archive (radio buttons Yes/No), SIP Field (dropdown), SIP Format (text input), and Stat Cat ID. There are 'Cancel' and 'Save' buttons at the bottom.

- **Name** (required): The name that labels this entry on the patron's account.
- **Owning Library** (required): Select the library for which the stat cat applies.
- **Required** (required):
 - Yes: The category must be assigned a value when editing a patron's account.
 - No: The category may be assigned a value when editing a patron's account.
- **OPAC Visible** (required):
 - Yes: The category will be displayed in the patron's account in the OPAC.
 - No: The category will not be displayed in the patron's account in the OPAC.
- **User Summary** (required):

- Yes: Include entry in the patron account summary.
- No: Do not include entry in the patron account summary.
- **Free Text** (required):
 - Yes: Allow free text to be entered instead of specific entries from a drop down.
 - No: Do not allow free text as an entry
- **Checkout Archive** (required):
 - Yes: Retain information with anonymized circulations.
 - No: Do not retain information with anonymized circulations.
- **SIP Field**: Leave blank.
- **SIP Format**: Leave blank

Once the fields are filled in, click **Save** to create the new Patron Stat Cat.

Modify a patron stat cat

To modify an existing stat cat, double-click on the row, or select from the Actions menu or right-click and choose **Edit Selected**. You can update the name, OPAC visibility, required status, summary appearance, free text eligibility, and whether or not the information is archived with anonymized circulations. You cannot change the ownership of the statistical category.

The screenshot shows a web application interface for editing a Patron Statistical Category. The main window is titled "Record Editor: Statistical Category Editor - Patron". It contains several form fields with labels and values:

- Name:** Pest Issues
- Owning Library:** SJPL
- Required:** (Unset) with radio buttons for Yes and No (No is selected).
- OPAC Visible:** (Unset) with radio buttons for Yes and No (No is selected).
- User Summary:** (Unset) with radio buttons for Yes and No (No is selected).
- Free Text:** (Unset) with radio buttons for Yes and No (No is selected).
- Checkout Archive:** (Unset) with radio buttons for Yes and No (No is selected).
- SIP Field:** (Unset) with a dropdown arrow.
- SIP Format:** (Unset) with a text input field.
- Stat Cat ID:** 107

At the bottom right of the form are "Cancel" and "Save" buttons. In the background, a table is visible with columns "Entries", "Name", and "Stat Cat ID". The table has two rows: row 1 with "Patron Reg Staff Initial" and row 2 with "Pest Issues". The "Stat Cat ID" column shows values 106 and 107 for the respective rows.

Add listed entries on a patron stat cat

For patron stat cats, a list of possible entries may be provided for assignment to holdings either in addition to or in place of free text entries. To add new preset entries, click on the **Entries** button under the *Entries* column of the stat cat grid.

Statistical Category Editor - Patron

SIJPL ☐ + Ancestors ☐ + Descendants

Remove Filters New Statistical Category Editor - Patron Apply Translations 0 selected Actions IK < > Rows 10 ^ ⚙

#	Entries	Name	Owning Library	Required	OPAC Visible	User Summary	Free Text	Checkout Archive	SIP Field	SIP Format	Stat Cat ID
1	Entries	Patron Registration Staff Initials	SIJPL	Yes	No	No	Yes	No			106
2	Entries	Pest Issues	SIJPL	No	No	No	No	No			107

Click New Statistical Category Entry - Patron

Statistical Category Entry - Patron

SIJPL ☐ + Ancestors ☐ + Descendants Filters Applied: { "stat_cat": 107 } Return

Remove Filters New Statistical Category Entry - Patron Apply Translations 0 selected Actions IK < > Rows 10 ^ ⚙

#	Stat Cat	Entry Value	Entry Owner	Entry ID
1	Pest Issues	No	SIJPL	296
2	Pest Issues	Yes	SIJPL	295

Enter the value (entry name). The Entry Owner should match the owner of the statistical category. Click **Save** when finished. The new stat cat value will be available for usage on patron accounts.

Record Editor: Statistical Category Entry - Patron

Stat Cat: Pest Issues

Entry Value:

Entry Owner: SIJPL

Entry ID:

Cancel Save

Modify listed entries on patron stat cats

NOTE: It is not currently possible to modify existing entries on a patron stat cat in the web client.

Hold Policies

Location: Administration → Local Administration → Hold Policies

Hold policies define who can place how many holds on what types of materials. They also define whether the library's materials can be used to fill holds to be picked up at other libraries.

Missouri Evergreen grants each library the ability to set their own hold policies. To add a new policy, change an existing policy or delete a policy, contact Equinox at support@equinoxoli.org.


A few things that will need to be included:

- Circulation modifier or item age
- What patron group(s) the policy applies to
- The maximum number of holds (if applicable)
- Whether or not interlibrary connect holds be placed (for libraries participating in reciprocal borrowing)

Circulation Limit Sets

Location: *Administration* → *Local Administration* → *Circulation Limit Sets*

This interface allows staff with the appropriate permissions to specify the maximum number of checkouts of items by shelving location and is an addition to the circulation limit sets. Circulation limit sets refine circulation policies by limiting the number of items that users can check out. Circulation limit sets are linked by name to circulation policies.



Circulation Limit Set Administration


Search: SIPL ☐ + Ancestors ☐ + Descendants

Remove Filters New Circulation Limit Set Apply Translations 0 selected Actions IK < > Rows 10 ^ ⚙

	Linked Entities	ID	Name	Owning Library	Items Out	Min Depth	Global	Description
☐	1 Manage	718	SIPL_7_Audiobooks	SIPL	7	0	No	Max 7 audiobooks
☐	2 Manage	719	SIPL_1_BookClub	SIPL	1	0	No	Max 1 BookClub
☐	3 Manage	722	SIPL_1_Equipment	SIPL	1	0	No	Max 1 Equipment
☐	4 Manage	724	SIPL_1_JKit	SIPL	1	0	No	Max 1 J-Kit
☐	5 Manage	726	SIPL_10_Music	SIPL	10	0	No	Max 10 Music
☐	6 Manage	725	SIPL_6_Magazines	SIPL	6	0	No	Max 6 Magazines
☐	7 Manage	775	SIPL_1_In-House	SIPL	1	0	No	Max 1 In-House
☐	8 Manage	723	SIPL_5_ILL	SIPL	5	0	No	Max 5 ILL
☐	9 Manage	720	SIPL_10_CD	SIPL	10	0	No	Max 10 CD
☐	10 Manage	721	SIPL_10_DVD	SIPL	10	0	No	Max 10 DVD

Creating a Circulation Limit Set

To create a new entry, select **New Circulation Limit Set**.



Circulation Limit Set Administration

Search: SIPL ☐ + Ancestors ☐ + Descendants

Remove Filters **New Circulation Limit Set** Apply Translations 0 selected Actions IK < > Rows 10 ^ ⚙

	Linked Entities	ID	Name	Owning Library	Items Out	Min Depth	Global	Description
☐	1 Manage	718	SIPL_7_Audiobooks	SIPL	7	0	No	Max 7 audiobooks
☐	2 Manage	719	SIPL_1_BookClub	SIPL	1	0	No	Max 1 BookClub
☐	3 Manage	722	SIPL_1_Equipment	SIPL	1	0	No	Max 1 Equipment
☐	4 Manage	724	SIPL_1_JKit	SIPL	1	0	No	Max 1 J-Kit
☐	5 Manage	726	SIPL_10_Music	SIPL	10	0	No	Max 10 Music
☐	6 Manage	725	SIPL_6_Magazines	SIPL	6	0	No	Max 6 Magazines
☐	7 Manage	775	SIPL_1_In-House	SIPL	1	0	No	Max 1 In-House
☐	8 Manage	723	SIPL_5_ILL	SIPL	5	0	No	Max 5 ILL
☐	9 Manage	720	SIPL_10_CD	SIPL	10	0	No	Max 10 CD
☐	10 Manage	721	SIPL_10_DVD	SIPL	10	0	No	Max 10 DVD

Record Editor: Circulation Limit Set

Description
(Unset)

Global
(Unset) ☐ Yes ☐ No

ID

Items Out

Min Depth
(Unset)

Name

Owning Library

Cancel Save

- **Description** (required entry): This gives a brief description of the limit set.
- **Global** (required entry):
 - Yes: Restricts all the org units in the consortium to this limit set when applied to a circulation policy.
 - No: The limits will only apply to the direct ancestors and descendants of the owning library.
- **ID** (automatically generated)
- **Items Out** (required entry): The number of items that a patron can take from this shelving location.
- **Min Depth** (required entry): Set as zero (0), so that the items in all the circulating libraries in the consortium to be eligible for restriction by the limit set when it is applied to a circulation policy.
- **Name** (required entry): This will name the circulation set. It will be used to link the circulation limit to the circulation policy.
- **Owning Library** (required entry): Select the library that can create and edit the limit set.

Once the fields are filled in, click **Save** to create the new circulation limit set.

Editing a Circulation Limit Set


To edit the portal page entry, double-click on the entry from the list, or right-click or select **Actions** and choose **Edit Selected**.

Deleting a Circulation Limit Set

If you wish to remove an existing portal page entry, either right click on the entry or select **Actions** and choose **Delete Selected**.

Linking a Circulation Limit Set

To link shelving locations, circ modifiers, and limit groups, click **Manage** in the same line as the entry.



Circulation Limit Set Administration


Search: SJPL ☐ + Ancestors ☐ + Descendants

Remove Filters | New Circulation Limit Set | Apply Translations

0 selected | Actions | < | > | Rows 10 | ⚙

#	Linked Entities	ID	Name	Owning Library	Items Out	Min Depth	Global	Description
☐ 1	Manage	718	SJPL_7_Audiobooks	SJPL	7	0	No	Max 7 audiobooks
☐ 2	Manage	719	SJPL_1_BookClub	SJPL	1	0	No	Max 1 BookClub
☐ 3	Manage	722	SJPL_1_Equipment	SJPL	1	0	No	Max 1 Equipment
☐ 4	Manage	724	SJPL_1_JKit	SJPL	1	0	No	Max 1 J-Kit
☐ 5	Manage	726	SJPL_10_Music	SJPL	10	0	No	Max 10 Music
☐ 6	Manage	725	SJPL_6_Magazines	SJPL	6	0	No	Max 6 Magazines
☐ 7	Manage	775	SJPL_1_In-House	SJPL	1	0	No	Max 1 In-House
☐ 8	Manage	723	SJPL_5_ILL	SJPL	5	0	No	Max 5 ILL
☐ 9	Manage	720	SJPL_10_CD	SJPL	10	0	No	Max 10 CD
☐ 10	Manage	721	SJPL_10_DVD	SJPL	10	0	No	Max 10 DVD

Add whatever is applicable.



Circulation Limit Set - SJPL_1_BookClub

[Edit Circulation Limit Set](#) | [Edit Linked Entities](#)

Linked Circ Modifiers

Name: BookClub : BookClub
Circulation Modifiers
[Remove](#) [Add](#)

Linked Copy Locations

Name: Shelving Location...
[Remove](#) [Add](#)

Linked Limit Groups

Name: Limit Groups
Check Only? ☐
[Remove](#) [Add](#)

[Save](#)

Once the fields are filled in, click Save.

Financials

Cash Reports

Location: [Administration](#) → [Local Administration](#) → [Cash reports](#)

Cash reports are useful for quickly getting information about money that your library has collected from patrons. This can be helpful in a few different scenarios, such as:

- Reconciling a cash drawer at the end of the day
- Assessing the popularity of a specific payment type (eg evaluating food-for-fines program)

To use the cash reports:

Navigate to the cash reports function. Select the time period and library you are interested in. This interface defaults to showing payments accepted during the current day.

Click *Submit*.

The screenshot shows the 'Cash Reports' interface. At the top, there are filters for 'Start Date' (2025-11-09), 'End Date' (2025-11-19), and 'View reports for' (MLC-RI), with a 'Submit' button. Below these are tabs for 'Desk Payments' and 'Staff User Payments'. A summary section shows: 'Total Cash Payments \$32.87', 'Total Check Payments \$0.00', 'Total Credit Card Payments \$0.00', and 'Total Debit Card Payments \$0.00'. There is a 'Print' button and a settings icon. At the bottom, a table header is visible with columns: '#', 'Workstation', 'Cash Payment', 'Check Payment', 'Credit Card Payment', and 'Debit Card Payment'.

You can click on the names of columns to sort the reports.

You need the VIEW_TRANSACTION permission to view these reports.

These payments are divided into two different types:

- Desk payments—in which a staff member simply accepted a credit card, check, or cash payment
- User payments—in which a staff member had to make a specific decision about whether to accept a payment of goods or work; or forgave or granted credit to a particular patron.

Patrons with Negative Balances

Location: [Administration](#) → [Local Administration](#) → [Patrons with negative balances](#)

This report lists all patrons at a branch with a Negative Balance. Negative balances can appear when bills are voided. One common example is a patron who needs to be refunded for paid lost items so that bill becomes voided within their account.

To access a branches list of patrons with negative balances, choose the branch in the upper lefthand corner. Only branches and Systems can be selected. *Consortium* cannot be selected.

Patrons with Negative Balances

Patron Library

BR3

⏪ ⏩ ⏴ ⏵

Actions ▾

Rows 25 ▾

Page 1 ▾ ▾

#	☐	Last Billing Activity	Balance Owed	Middle Name	First Name	Last Name	Date of Birth	Barcode	Barred
1	☐	5/24/2021 10:38 AM	-1.00		David	Fields		99999311521	No

To clear the negative balance, click on the patron's barcode to access their account.

To avoid producing negative balances, use the *Prohibit negative balance on bills* (DEFAULT) library setting.

You can also choose Prohibit negative balance on bills for lost materials or Prohibit negative balance on bills for overdue materials library settings if you want to apply a specific condition.

Inventory

You can run an inventory on a single shelving location, a department, or your whole collection. It's entirely up to you!

Checkin Items

Auto-Print Hold and Transit Slips
Clear Holds Shelf
Capture Local Holds As Transits

Barcode: Submit Effective Date: 08/29/2025

☐ Strict Barcode

Items Checked In

#	OPAC/Staff Client	Barcode	Title	Call Number	Family Name	Location	Start	Due Date	Circulation Mod	Balance Owed	Route To	Checkin Date
No Items To Display												

Print Receipt ☐ Show Print Dialog ☐ Trim List (20 Rows)

Checkin Modifiers

- ☐ Ignore Pre-cataloged Items
- ☐ Suppress Holds and Transits
- ☐ Amnesty Mode
- ☒ Auto-Print Hold and Transit Slips
- ☒ Clear Holds Shelf
- ☐ Retarget Local Holds
- ☐ Retarget All Statuses
- ☒ Capture Local Holds As Transits
- ☐ Manual Floating Active
- ☒ Update Inventory

Once you've set the scope of your inventory, turn on the **Update Inventory** check in modifier and scan every item in that collection into the Checkin screen.

Recommendations from past inventory events suggest that staff use the scanning process to note any materials that appear to have incorrect circ mods, shelving locations, or missing prices or are in need of repair and turn them over to the cataloging division.

Then you can run reports to see what materials were scanned as part of the process or to see what materials should be marked missing and searched for in other locations.


Holdings Template Editor

Holdings Templates, used to define items in Cataloging, may be created or edited in the Cataloging function, Holdings Editor, which can be accessed from Holdings View of a bibliographic record or from Item Status—Actions Menu—Edit Call Number and Items. These templates also may be edited through Local Administration. Select Holdings Template Editor from the menu, then utilize the drop-down box on the left to find the template you wish to edit.

For more in-depth discussion and best practices regarding Holding Template Editor, please refer to the Missouri Evergreen Consortium Cataloguing Best Practices manual, pages 19-21. This document is located at [Cataloging Training Materials – Welcome to Missouri Evergreen](#).

Item Tags

Item Tags allow staff to apply custom, pre-defined labels or tags to items. Item tags are visible in the public catalog and are searchable in both the staff client and public catalog based on configuration. This feature was designed to be used for Digital Bookplates to attach donations or memorial information to items but may be used for broader purposes to tag items.




ID	Tag Type	Tag Label	Tag Value	Staff Note	Is OPAC Visible?	Owner	URL
1 7683	Juvenile Literature Award	Juvenile Literary Award	Show Me Readers Award Nominee		Yes	SIPL	
2 7512	Juvenile Literature Award	Juvenile Literary Award	Newbery Award Winner		Yes	SIPL	
3 7513	Juvenile Literature Award	Juvenile Literary Award	Truman Readers Award Nominee		Yes	SIPL	
4 7511	Juvenile Literature Award	Juvenile Literary Award	Mark Twain Readers Award Nominee		Yes	SIPL	
5 7510	Juvenile Literature Award	Juvenile Literary Award	Gateway Readers Award Nominee		Yes	SIPL	
6 7509	Juvenile Literature Award	Juvenile Literary Award	Caldecott Medal Award Winner		Yes	SIPL	
7 7508	Juvenile Literature Award	Juvenile Literary Award	Caldecott Honor Book		Yes	SIPL	
8 7507	Juvenile Literature Award	Juvenile Literary Award	Building Block Readers Award Nominee		Yes	SIPL	

There are two components to this feature: Item Tag Types and Item Tags.

Item Tag Types

Location: [Administration](#) → [Server Administration](#) → [Item Tag Types](#)

Item Tag Types are used to define the type of tag, such as “Bookplates” or “Local History Notes”, as well as the organizational unit scope for use of the tag type.



Code	Tag Type	Owner
1 INHONOR	In Honor Of	SIPL
2 INMEMORY	In Memory Of	SIPL
3 DONATED	Donated By	SIPL
4 MEMORIAL	Memorial Bookplate	SIPL
5 JUVAWARD	Juvenile Literature Award	SIPL

Create an item tag type

To create a new entry, select **New Item Tag Types**.

ID	Tag Type	Tag Label	Tag Value	Staff Note	Is OPAC Visible?	Owner	URL
1	Juvenile Literature Award	Juvenile Literary Award	Show Me Readers Award Nominee		Yes	SJPL	
2	Juvenile Literature Award	Juvenile Literary Award	Newbery Award Winner		Yes	SJPL	
3	Juvenile Literature Award	Juvenile Literary Award	Truman Readers Award Nominee		Yes	SJPL	
4	Juvenile Literature Award	Juvenile Literary Award	Mark Twain Readers Award Nominee		Yes	SJPL	
5	Juvenile Literature Award	Juvenile Literary Award	Gateway Readers Award Nominee		Yes	SJPL	
6	Juvenile Literature Award	Juvenile Literary Award	Caldecott Medal Award Winner		Yes	SJPL	
7	Juvenile Literature Award	Juvenile Literary Award	Caldecott Honor Book		Yes	SJPL	
8	Juvenile Literature Award	Juvenile Literary Award	Building Block Readers Award Nominee		Yes	SJPL	

- **Code** (required entry): A code to identify the item tag type.
- **Owner** (required entry): The org. unit that can see and use the item tag type.
- **Tag Type** (required entry): A tag that will appear in drop-down menus to identify the item tag type.

Once the fields are filled in, click **Save** to create the new Item Tag Type. Now, create the associated Item Tags.

Item Tags

Location: [Administration](#) → [Local Administration](#) → [Item Tags](#)

Item Tags are associated with an Item Tag Type and are used to configure the list of tags that can be applied to copies, such as a list of memorial or donation labels, that are applicable to a particular organizational unit.

ID	Tag Type	Tag Label	Tag Value	Staff Note	Is OPAC Visible?	Owner	URL
1	Juvenile Literature Award	Juvenile Literary Award	Show Me Readers Award Nominee		Yes	SJPL	
2	Juvenile Literature Award	Juvenile Literary Award	Newbery Award Winner		Yes	SJPL	
3	Juvenile Literature Award	Juvenile Literary Award	Truman Readers Award Nominee		Yes	SJPL	
4	Juvenile Literature Award	Juvenile Literary Award	Mark Twain Readers Award Nominee		Yes	SJPL	
5	Juvenile Literature Award	Juvenile Literary Award	Gateway Readers Award Nominee		Yes	SJPL	
6	Juvenile Literature Award	Juvenile Literary Award	Caldecott Medal Award Winner		Yes	SJPL	
7	Juvenile Literature Award	Juvenile Literary Award	Caldecott Honor Book		Yes	SJPL	
8	Juvenile Literature Award	Juvenile Literary Award	Building Block Readers Award Nominee		Yes	SJPL	

Create an item tag

To create a new entry, select **New Item Tags**.

The screenshot shows the 'Record Editor: Item Tags' form. The form is titled 'Record Editor: Item Tags' and has a close button. The fields are as follows:

- ID: [Text input]
- Is OPAC Visible?: ☐ Yes ☐ No
- Owner: [Text input with 'SJPL' selected]
- Staff Note: [Text input]
- Tag Label: [Text input]
- Tag Type: [Dropdown menu]
- Tag Value: [Text input]
- URL: [Text input]

At the bottom of the form are 'Cancel' and 'Save' buttons. The background shows a table of existing item tags with columns for ID, #, and Tag Type.

- **Is OPAC Visible?** (required entry):
 - **Yes:** It can be searched for and viewed in the OPAC and staff catalog.
 - **No:** It can only be searched for and viewed in the staff catalog.
- **Owner** (required entry): Select the org. unit at which the tag can be seen and used.
- **Staff Note** (optional): A note may be added to guide staff in when to apply the item tag.
- **Tag Label** (required entry): Assign a label to the new item tag.
- **Tag Type** (required entry): Select the Item Tag Type with which you want to associate the new Item Tag.
- **Tag Value** (required entry): Assign a value to the new item tag. This will display in the catalog.

Once the fields are filled in, click **Save** to create the new Item Tag.

Modify an Item Tag

Existing item tags can be edited by double clicking on the row or selecting from the Actions menu or right-clicking and choose **Edit Selected**. The dialog box will appear, and you can modify the item tag. Click **Save** to save any changes. Changes will be propagated to any items that the tag has been attached to.

The screenshot shows the 'Record Editor: Item Tags' dialog box. The background table lists item tags with the following data:

ID	Tag Type
1 7683	Juvenile Literature Award
2 7512	Juvenile Literature Award
3 7513	Juvenile Literature Award
4 7511	Juvenile Literature Award
5 7510	Juvenile Literature Award
6 7509	Juvenile Literature Award
7 7508	Juvenile Literature Award
8 7507	Juvenile Literature Award

The 'Record Editor: Item Tags' dialog box contains the following fields:

- ID: 7512
- Is OPAC Visible?: ☒ Yes, ☐ No
- Owner: SIPL
- Staff Note: (Unset)
- Tag Label: Juvenile Literary Award
- Tag Type: Juvenile Literature Award
- Tag Value: Newbery Award Winner
- URL: (Unset)

Buttons: Cancel, Save

Delete an Item Tag

Existing item tags can be deleted by selecting from the Actions menu or right-clicking and choosing **Deleted Selected**. Deleting a tag will delete the tag from any items it was attached to in the catalog.

Adding an Item Alert

Item Alerts can be added to new items or existing items using the Holdings Editor. They can also be added directly to items through the Check In, Check Out, Renew, Capture Holds, and Item Status screens; or from the bibliographic record in the *Holdings View* tab.

To add an Item Alert in the Holdings Editor:

1. At whichever entry point, select your item and then select **Actions** → **Edit Items**.
 - a. If you are in the Holdings View tab, you can also select **Actions** → **Add / Manage Item Alerts**. This will open the alerts modal, and you can proceed to step 3.
2. Within the Holdings Editor, scroll to the bottom of the screen and select **Edit Item Alerts**.
3. This will open a window labeled “Managing alerts for item <barcode>”.

Managing alerts for item CONC40000127

New Item Alert

Alert Type: Normal checkout

Alert Note:

☐ Temporary?

Add New

Pending Item Alerts

Alert Type: Normal checkout

Alert Note: Contains 5 CDs

☐ Temporary? Remove

Existing Item Alerts

Close Apply Changes

4. Select an *Alert Type* and enter an additional alert message if needed in the *Alert Note* field.
 - a. Select the box next to *Temporary?* if this alert should not appear after the initial alert is acknowledged.
 - b. Leaving the *Temporary* box unchecked will create a persistent alert that will appear each time the action to trigger the alert occurs, such as check in or check out.
5. Select Apply Changes to save the new Item Alert.
 - a. If you accessed the modal directly from the Holdings View tab, Item Status, or Check In / Check Out interfaces, this will save your changes.
 - b. To close without saving, select Close.

- After an Item Alert has been added, selecting the **Edit Item Alerts** button in the Holdings Editor will allow you to add another item alert and to view and/or edit existing item alerts.

Managing alerts for item CONC40000127 [X]

New Item Alert

Alert Type: Checkin of missing copy [v]

Alert Note: Route to collection management [edit]

☐ Temporary?

Add New

Existing Item Alerts

Alert Type: Normal checkout [v]

Alert Note: Contains 5 CDs [edit]

☐ Temporary? ☐ Clear?

Added: 4/16/25

Close **Apply Changes**

- Proceed with the rest of your edits to the item, and then select either **Apply All & Save** or **Apply All, Save & Exit** to finish your edits.

Add an Item Alert from Check In, Check Out, Capture Holds, or Renewal Screens

1. Navigate to the appropriate screen, for example to **Circulation** → **Check In**.
2. Scan in the item barcode.
3. Select the item row and go to **Actions** → **Add Item Alerts** or right click on the item row and select Add Item Alerts.
4. This will open a new tab with a modal labeled “Managing alerts for item <barcode>”.

Managing alerts for item CONC40000127

New Item Alert

Alert Type: Normal checkout

Alert Note:

☐ Temporary?

Add New

Pending Item Alerts

Alert Type: Normal checkout

Alert Note: Contains 5 CDs

☐ Temporary? [Remove](#)

Existing Item Alerts

Close Apply Changes

5. Follow the instructions above, starting with step 4.
6. After an Item Alert has been added, selecting the **Manage Item Alerts** action will allow you to add another item alert and to view and/or edit existing item alerts.

Managing alerts for item CONC40000127

New Item Alert

Alert Type

Checkin of missing copy

Alert Note

Route to collection management

☐ Temporary?

Add New

Existing Item Alerts

Normal checkout

Contains 5 CDs

☐ Temporary? ☐ Clear?

Added: 4/16/25

Close
Apply Changes

To add an Item Alert from the Item Status list view:

1. From the Item Status list view, scan in the item barcode.
2. Select the item row and go to **Actions** → **Add Item Alerts** or right click on the item row and select **Add Item Alerts**.
3. This will open a new tab with a modal labeled “Managing alerts for item <barcode>”.

Managing alerts for item CONC40000127

New Item Alert

Alert Type

Normal checkout

Alert Note

☐ Temporary?

Add New

Pending Item Alerts

Normal checkout

Contains 5 CDs

☐ Temporary? [Remove](#)

Existing Item Alerts

Close
Apply Changes

4. Follow the instructions above, starting on step 4.

5. After an Item Alert has been added, selecting the **Manage Item Alerts** action will allow you to add another item alert and to view and/or edit existing item alerts.

Managing alerts for item CONC40000127

New Item Alert

Alert Type: Checkin of missing copy

Alert Note: Route to collection management

☐ Temporary?

Existing Item Alerts

Normal checkout

Contains 5 CDs

☐ Temporary? ☐ Clear?

Added: 4/16/25

Close Apply Changes

Alternatively, you can add or manage alerts from the detail view in Item Status.

1. Select the *Detail View* button in the top-right of the Item Status screen.

2. In the bottom-left corner of this view are two buttons for Add and Manage Alerts.
3. Select Add Item Alerts.

Scan Item

OR

No file chosen

Record Summary (MARC)

Title:	Violin concerto	Edition:	
Author:	Penderecki, Krzysztof 1933-	Pub Date:	1979
Bib Call #:	825		


Quick Summary
Recent Circ History
Circ History List
Holds / Transit
Cataloging Info
Triggered Events

Barcode	CONC40000127	Circ Library	BR1
Price	5.99	Owning Library	BR1
Acquisition Cost		Shelving Location	Audio/Video
ISBN		Loan Duration	Short
Date Created	1/13/2025 7:29 AM	Fine Level	Low
Date Active	1/13/2025 7:29 AM	Reference	false
Status Changed	1/13/2025 7:29 AM	OPAC Visible	true
Item ID	92	Holdable	true
Circulate	true	Renewal Workstation	
Floating		Circ Modifier	
Inventory Date		Inventory Workstation	

Item Alerts

4. This will open a new tab with a modal labeled "Managing alerts for item <barcode>".
5. Follow the instructions above, starting on step 4.
6. After an Item Alert has been added, selecting the Manage button will allow you to add another item alert and to view and/or edit existing item alerts.

Removing an Item Alert



The image shows a modal window titled "Managing alerts for item CONC40000127". It has a dark teal header with a close button (X) in the top right corner. The modal is divided into three sections: "New Item Alert", "Pending Item Alerts", and "Existing Item Alerts".

New Item Alert

Alert Type: A dropdown menu showing "Normal checkout".

Alert Note: A text input field.

☐ Temporary?

Add New (green button)

Pending Item Alerts

Alert Type: A dropdown menu showing "Normal checkout".

Alert Note: A text input field containing "Contains 5 CDs".

☐ Temporary? [Remove](#)

Existing Item Alerts

At the bottom right of the modal are two buttons: **Close** (grey) and **Apply Changes** (green).

Navigate to the Manage Item Alerts modal via one of the routes described above. Under *Existing Item Alerts*, select the checkbox next to *Clear?* for the alert(s) you want to remove. Select **Apply Changes** to save your changes; or select **Close** to close without saving.

Adding and Managing Item Alerts in Batch

Item alerts can be added to multiple items in batch via the Holdings Editor, directly from the Holdings View tab, from the Item Status interface, or from circulation interfaces such as Check In, Check Out, Capture Holds, and Renew.

To add item alerts in batch via the Holdings Editor, open a set of items in the Holdings Editor. You can do this from the Item Status interface or from the bibliographic record in the Holdings View tab.

1. At whichever entry point, select your set of items and then click Actions → Edit Items.

Managing alerts for item CONC40000127

New Item Alert

Alert Type: Normal checkout

Alert Note: [Text Area]

☐ Temporary?

Add New

Existing Item Alerts

Alert Type: Normal checkout

Alert Note: Contains 5 CDs

☐ Temporary? ☒ Clear?

Added: 4/16/25

Close Apply Changes

- a. If you are in the Holdings View tab, you can also select Actions → Add / Manage Item Notes. This will open the tags modal, and you can proceed to step 3.
 - b. If you are in a circulation interface, or Item Status list view, you can select Actions → Add Item Alerts or Actions → Manage Item Alerts. This will open the tags modal in a new tab, and you can proceed to step 3.
2. In the Holdings Editor, select Edit Item Alerts. This will open a modal named *Managing alerts in common for <number> item(s)*.

IMPORTANT: This modal will only show existing alert types that are commonly held among all selected items. Items do not share alerts directly.

Managing alerts for item CONC40000127

New Item Alert

Alert Type: Normal checkout

Alert Note:

☐ Temporary?

Add New

Existing Item Alerts

Alert Type: Normal checkout

Alert Note: Contains 5 CDs

☐ Temporary? ☒ Clear?

Added: 4/16/25

Close **Apply Changes**

Select an *Alert Type* and enter an additional alert message if needed in the *Alert Note* field.

- a. Select the box next to *Temporary?* if this alert should not appear after the initial alert is acknowledged.
- b. Leaving the *Temporary?* box unchecked will create a persistent alert that will appear each time the action to trigger the alert occurs, such as check in or check out.
3. Select **Apply Changes** to save the new Item Alert.
 - a. If you accessed the modal directly from the holdings view tab, Item Status, or check in / check out interfaces, this will save your changes.
 - b. To close without saving, select Close.

Managing alerts in common for 3 item(s)

Note that items in batch do not share alerts directly. Displayed alerts represent matching alert groups.

New Item Alert

Alert Type: Checkin of damaged copy

Alert Note: Route to collection management

☐ Temporary?

Add New

Existing Item Alerts

Alert Type: Normal checkout

Alert Note: Contains 5 CDs

☐ Temporary? ☐ Clear?

Close **Apply Changes**

4. After an Item Alert has been added, selecting the Item Alerts button in the Holdings Editor will allow you to add another item alert and to view and/or edit existing item alerts.
5. Proceed with the rest of your edits to the item, and then select either Apply All & Save or Apply All, Save & Exit to finish your edits.

Hopeless Holds

Location: [Administration](#) > [Local Administration](#) > [Hopeless Holds](#)

Hopeless Holds are **holds** that cannot be filled because all copies on the record have been deleted or because all copies on the record are in an unholdable status.

Once a hold has become hopeless, it will never revert to being fillable even if a new item is added to the record. These holds need to be canceled in the patron's account and a new hold placed on a different record if there is another record in the catalog.

1. Navigate to Hopeless Holds.

Hopeless Holds

Hopeless Date, Start Range: 2015-09-11 Hopeless Date, End Range: 2025-09-11

Holds Count: 4

Pickup Library: NNCL-NEO

0 selected

#	Hold ID	Part label	Title	Pickup Library	Hold Type	Request Date	Patron Barcode	Holdable Formats (for M-type hold)	Hopeless Date
☐	1	6031289	Birth story : Ina May Gaskin & the Farm midwives	NNCL-NEO	T	7/12/25, 2:43 PM	24162000483008		8/22/25, 12:30 AM
☐	2	6008183	Doc Martin, Season 5	NNCL-NEO	T	7/31/25, 12:46 PM	24162000511392		8/26/25, 7:15 PM
☐	3	6140266	Shielding the baby : Pacific Northwest K-9 Unit	NNCL-NEO	T	8/18/25, 9:52 AM	24162000536144		8/21/25, 3:53 PM
☐	4	6176617	Complete set	NNCL-NEO	P	8/29/25, 10:56 AM	2416200059144		9/3/25, 12:01 PM

2. Open the patron's account.

3. Look in the patron's Holds for the item that isn't available.

4. Search for an available copy of the item and place a hold on that record.

5. Edit the Request Date if necessary to ensure the patron doesn't lose their place in the queue.

6. Cancel the hold that is Hopeless.

Follow any other procedure for this action that is in line with your library procedures.

Online Public Access Catalog

Summary

The Missouri Evergreen Online Public Access Catalog (OPAC) is the public online presence of the Missouri Evergreen Library Consortium and provides access to materials available. The OPAC includes access to library account holders through the “My Account” feature. There are a variety of ways that member libraries can link to, configure, and display the OPAC to provide the best user experience.

Adding Carousels to Library OPAC homepage

Carousels are a visual element that can be added to a library's OPAC homepage to enhance patron experience by highlighting various aspects of the library collection.

Currently, it is recommended that libraries have no more than 3 carousels visible on the local OPAC homepage because of the possibility of website performance issues.

Carousel Permission

Creating and managing carousels requires a permission granted to individual staff accounts or some individuals with local administration permission. This permission *cannot* be applied to shared staff accounts.

Types of Carousels: automatic and manual

Automatic Carousels

Evergreen ILS has four different types of automatic carousels. If a library would like to include one of these carousels on their OPAC homepage, please submit a helpdesk ticket to Equinox. Automatic carousels are refreshed automatically on a regular basis (twice a week), but may be manually refreshed by individuals with the appropriate permission.

Types of automatic carousels

- **Newly Cataloged Items** - titles appear automatically based on the active date of the title's copies.
- **Top Circulated Items** - titles appear automatically based on the most circulated copies during a defined interval by the Item Libraries configured by Missouri Evergreen administrative staff in the settings. Circulations include both checkouts and renewals.
- **Newest Items by Shelving Location** - titles appear automatically based on the active date and shelving location of the title's copies.
- **Recently Returned Items** - titles appear automatically based on the mostly recently circulated copy's check-in scan date and time.

Manual Carousels

Manual carousels are created and managed by local library staff members with appropriate training and account permission.

Create Manual Carousel


From Record Bucket Interface

You can add records to buckets that will become carousels directly from the Record Query tab in the Record Bucket Interface.


From Catalog Basket

The easiest way to populate a bucket that will become a carousel is by selecting results from catalog searches.

- Perform one or more catalog searches, and, from the results, select the box next to records to add them to the basket.
- From the basket actions menu, select **Add Basket to Bucket**.



- The Add to Bucket window will open with the option to add to an existing record bucket, create a new record bucket, or add to a shared record bucket.



- In the Record Bucket interface (accessible via ILS client splash page link or Cataloging menu), select the desired bucket from Buckets drop down menu to populate the grid with catalog records in that bucket.
- After the grid is populated, from the Buckets drop down menu, select **Create Carousel from Bucket**.

Record Query (0) Pending Records (0) Bucket View (17)

Bucket #3274531: Neil Gaiman Carousel 17 items / Created 2024-01-02 09:08 / Dorsey (bdorsey) @ CNSRT-COL

Buckets Batch Edit

1. Merge Project
2. Merge Project #2

#	Title	TCN Value	Publisher (normalized)	Publication Year (normalized)	ISBN
1	Stardust	SYS191888	New York : Spike, 1999.	1999	{9780380977284,"03809772...
2	M is for magic	EVG-613097		2007	("0061186457 (lib. bdg.)","9...
3	Stories : all-new tales	ocn624555923	New York : William Morrow, ...	2010	{0061230928,97800612309...
4	Coraline	19262937	New York : HarperCollins Pu...	2002	{0380977788,97803809777...
5	Chu's day	795757633	New York : Harper, [2013]	2013	{0062017810,"97800620178...
6	ogues	ocn866615115	New York : Bantam Books, [...	2014	("0345537262 (hardback)","...
7	hu's first day of school	8ocm25196461	New York, NY : Harper, an I...	2014	("0062223976 (hardcover)","...

- The “Create Carousel From Bucket” window will open with a prompt to name the carousel. Enter an appropriate carousel name and click “Create Carousel.”

Search Circulation Cataloging Acquisitions Booking Administration

Record Query (0) Pending Records (0)

Bucket #3274531: Neil Gaiman Carousel 17 items (bdorsey) @ CNSRT-COL

Buckets Batch Edit

Create Carousel From Bucket

Name

Books by Neil Gaiman

Create Carousel Cancel

#	Author (normalized)	Title	TCN Value	Publisher (normalized)	Publication Year (normalized)	ISBN
1	Gaiman, Neil	Stardust	SYS191888	New York : Spike, 1999.	1999	{9780380977284,"03809772...
2	Gaiman, Neil	M is for magic	EVG-613097		2007	("0061186457 (lib. bdg.)","97...
3	Gaiman, Neil	Stories : all-new tales	ocn624555923	New York : William Morrow, [...	2010	{0061230928,97800612309...
4	Gaiman, Neil	Coraline	19262937	New York : HarperCollins Pu...	2002	{0380977788,97803809777...
5	Gaiman, Neil	Chu's day	795757633	New York : Harper, [2013]	2013	{0062017810,"97800620178...

- The Carousels Configuration page will open allowing you to further edit the carousel if necessary.

Edit Carousels

Location: Administration → Local Administration → Carousels

The Carousels Configuration interface will show a list of carousels (both manual and automatic) that have been created for the location designated by registered workstation. Other carousels may be visible by changing the Library designated in the upper left-hand corner of the interface, but may or may not be available for editing depending on the working locations/permissions of the individual accessing the interface.

#	Carousel ID	Last Refresh Time	Bucket	Carousel Type	Owner	Name	Is Active	Maximum Items
1	302		System-created buc...	Manual	CNSRT-COL	Consortium Titles	Yes	45
2	223		System-created buc...	Manual	CNSRT-COL	Some of Ruth's Fav...	No	13
3	224		System-created buc...	Manual	CNSRT-COL	William Kent Krueg...	No	6
4	67	2023-10-25 04:16	System-generated b...	Newly Catalogued I...	CNSRT-COL	Newest Titles at Co...	Yes	20
5	360		System-created buc...	Manual	CNSRT-COL	Books by Neil Gaim...	Yes	17

Edit Manual Carousel Contents

To edit the contents of a manual carousel, click on the linked bucket name in the carousel record row. It is important to note that editing the original bucket used to create the carousel will not affect the resultant carousel. When a carousel is created, a copy of the original record bucket is made and is used for the carousel. This new bucket is the one that must be used to add or delete records from the created carousel.

#	Author (normalized)	Title	TCN Value	Publisher (normalized)	Publication Year (normalized)	ISBN
1	Gaiman, Neil	Stardust	SYS191888	New York : Spike, 1999.	1999	{9780380977284,"03809772...
2	Gaiman, Neil	M is for magic	EVG-613097		2007	("0061186457 (lib. bdg.)", "97...
3		Stories : all-new tales	ocn624555923	New York : William Morrow, [...	2010	{0061230928,97800612309...
4	Gaiman, Neil	Coraline	19262937	New York : HarperCollins Pu...	2002	{0380977788,97803809777...
5	Gaiman, Neil	Chu's day	795757633	New York : Harper, [2013]	2013	{0062017810,"97800620178...

Edit Carousel Settings

From the Carousels Configuration page, settings for individual carousels can also be updated. To edit the settings, select a carousel and choose **Edit Selected** from the **Actions** menu or by right-clicking on the carousel line itself. This will open the *Record Editor: Carousels*

The screenshot shows a web application window titled "Record Editor: Carousels". The window has a teal header bar with a close button (X) on the right. Below the header, the form is organized into several sections. The "Owner" field is a text input with the value "CNSRT-COL". The "Name" field is a text input with the value "William Kent Krueger Wrote This". The "Carousel Type" field is a dropdown menu with "Manual" selected. The "Age Limit" field is a text input with the value "Age Limit...". The "Maximum Items" field is a text input with the value "6". The "Item Libraries" field is a text input with a dropdown arrow and an "Add" button. The "Shelving Locations" field is a text input with a dropdown arrow and an "Add" button. The "Is Active" field is a checkbox that is checked. The "Carousel ID" field is a text input with the value "224". The "Bucket" field is a text input with the value "Link to bucket". The "Last Refresh Time" field is a text input. At the bottom right of the form are two buttons: "Cancel" (yellow) and "Save" (teal).

Owner: The library system or branch that owns the carousel.

Name: The name of the carousel.


Carousel Type: Select Manual.

Make Carousel(s) Visible on OPAC homepage

Carousels configured for member library holdings are displayed on a custom homepage with a URL distinct from that library's local catalog URL. Please see the section on OPAC URLs for more information on adding or replacing OPAC and OPAC Carousel URLs to your website or kiosk.


Automatic carousels are immediately available on the OPAC homepage for their owning location as soon as the "Is Active" box is selected in the Carousel Record Editor.

Manual carousels must be made visible in the "Carousels Visible at Library" Configuration page accessible at [Administration menu > Local Administration > Carousel Mapping](#).



This grid will be populated with those carousels visible on the OPAC homepage of the library shown in the upper left hand corner of the interface.

To make a new carousel visible, click the “New Carousels Visible at Library” button. The **Carousels Visible at Library Record Editor** will open. Select from the list of carousels available as well as the library location where the carousel will be visible. Options are also included to input a different display name as the “Override Name” and/or to set the “Sequence Number” if more than one carousel will be displayed on the library’s OPAC homepage. Carousels will display from top to bottom in order from lowest to highest sequence number with 0 being the lowest number.



The screenshot shows a web application interface with a dark green header bar containing 'Booking' and 'Administration' dropdown menus. Below the header is a teal-colored modal window titled 'Record Editor: Carousels Visible at Library' with a close button (X) in the top right corner. The modal contains a form with the following fields: 'Carousel' (a dropdown menu showing 'William Kent Krueger Wrote This'), 'ID' (a text input field), 'Library' (a dropdown menu showing 'CNSRT-COL'), 'Override Name' (a text input field with placeholder text 'Override Name...'), and 'Sequence Number' (a dropdown menu showing '2'). At the bottom right of the modal are two buttons: a yellow 'Cancel' button and a teal 'Save' button.

From the Carousels Mapping interface, you can also edit already visible carousels.

Delete Carousel(s) from OPAC homepage

To delete a carousel from your OPAC homepage, in the Carousels Mapping interface, select the carousel to be deleted. From the Actions menu or the Right Click menu, click Delete Selected. This will not delete the carousel bucket, but will remove it from visibility.

Getting Help

Helpdesk tickets

Each library has up to three authorized contact persons who may submit help tickets to Equinox. These library contacts must create an account with Equinox before submitting or viewing tickets.

Contact persons can submit a support ticket in one of three ways:

- Email support@equinoxOLI.org
- Use their direct ticketing portal: <https://support.equinoxoli.org/index.php>
- Contact Equinox by phone at 1-877-OPEN-ILS (877-673-6457). Libraries are encouraged to use this in system-down situations.
- Equinox's business hours are M-F, 9:00 AM – 6:00 PM ET.

To submit or check on a request via the web portal: Authorized contacts logging in for the first time—select "Check on a Request," click on "Forgot Password," then enter your email address and click "Send Password Reset Link" to have a password generated and emailed to you. **This password will allow you to check on all tickets submitted.**

To check on one specific request: After a ticket has been created, the contact person will receive a confirmation of submission message. This email will include both an access key and a link to take the contact directly to the ticket. Input the access key to update or retrieve more information about the ticket issue.

Resources

- Missouri Evergreen: <https://moevergreenlibraries.org/>
- Evergreen Documentation: https://docs.evergreen-ils.org/docs/latest/shared/about_this_documentation.html
- Evergreen/Equinox Templates: https://wiki.evergreen-ils.org/doku.php?id=evergreen-reports:sample_reports